

1998 AUTHOR INDEX

- ALTEMOSE, Brent A.: Application of a Tracer Gas Challenge with a Human Subject to Investigate Factors Affecting the Performance of Laboratory Fume Hoods, 321
- ANDERSON, Judith: Industrial Hygiene Aspects of a Sampling Survey at a Bleached-Kraft Pulp Mill in British Columbia, 694
- ANDERSON, Judith: Radon-222 and Gamma Ray Levels Associated with the Collection, Processing, Transmission, and Utilization of Natural Gas, 622
- ANNA, Daniel H.: ASTM F739 Method for Testing the Permeation Resistance of Protective Clothing Materials: Critical Analysis with Proposed Changes in Procedure and Test-Cell Design, 547
- ASHLEY, Kevin: Ultrasonic Extraction and Field-Portable Anodic Stripping Voltammetry for the Determination of Lead in Workplace Air Samples, 671
- ASTRAKIANAKIS, George: Industrial Hygiene Aspects of a Sampling Survey at a Bleached-Kraft Pulp Mill in British Columbia, 694
- ATTEBURY, Margaret R.: Reliability of Questionnaire Information Measuring Musculoskeletal Symptoms and Work Histories, 20
- AULT, B.: Organic Dust Exposures from Work in Dairy Barns, 403
- BAND, Pierre: Industrial Hygiene Aspects of a Sampling Survey at a Bleached-Kraft Pulp Mill in British Columbia, 694
- BARON, Sherry: Methods for Assessing the Physical Demands of Manual Lifting: A Review and Case Study from Warehousing, 871
- BARRETT, Leonard W.: Aerosol Loading Performance of Electret Filter Media, 532
- BARTLETT, Karen: Determinants of Wheat Antigen and Fungal α -Amylase Exposure in Bakeries, 313
- BARTLEY, David L.: Laboratory Investigation of the Mass Stability of Sampling Cassettes from Inhalable Aerosol Samplers, 582
- BEARG, David W.: Improving Indoor Air Quality Through the Use of Continual Multipoint Monitoring of Carbon Dioxide and Dew Point, 636
- BERT, Joel: Industrial Hygiene Aspects of a Sampling Survey at a Bleached-Kraft Pulp Mill in British Columbia, 694
- BHATTACHARYA, Amit: Reliability of Questionnaire Information Measuring Musculoskeletal Symptoms and Work Histories, 20
- BISHOP, Richard W.: The Collection and Analysis of 2,3-Dimethyl-2,3-Dinitrobutane Vapor, 388
- BLACKBURN, Gary R.: Use of a Surrogate Aerosol in a Preliminary Screening for the Potential Carcinogenicity of Coal Coated with No. 6 Fuel Oil, 90
- BOLEIJ, Jan S.M.: Determinants of Exposure to Captan in Fruit Growing, 166
- BOLEIJ, Jan S.M.: Exposure to Captan in Fruit Growing, 158
- BOOTH-JONES, Angela D.: Reliability of Questionnaire Information Measuring Musculoskeletal Symptoms and Work Histories, 20
- BRANDT, Michael T.: Activity-Based Cost Management Part I: Applied to Occupational and Environmental Health Organizations, 328
- BRANDT, Michael T.: Activity-Based Cost Management Part II: Applied to a Respiratory Protection Program, 335
- BRAUER, Michael: Kilm Emissions and Potters' Exposures, 706
- BREYSSE, P.N.: Factors Affecting the Retention of Dust Mite Allergen on Carpet, 606
- BROMWICH, David: The Validation of a Permeation Cell for Testing Chemical Protective Clothing, 842
- BROSSEAU, Lisa M.: Aerosol Penetration Behavior of Respiratory Valves, 173
- BROSSEAU, Lisa M.: Improved Methods for Generation, Sampling, and Recovery of Biological Aerosols in Filter Challenge Tests, 234
- BUCHANAN, C.R.: Transport of Surgically Produced Aerosols in an Operating Room, 393
- BURSTYN, Igor: Determinants of Wheat Antigen and Fungal α -Amylase Exposure in Bakeries, 313
- CAMPBELL, Donald L.: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part I—Protocol Development, 852
- CAMPBELL, Donald L.: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part II—Method Comparison Testing, 862
- CHARRON, Ken A.: Field Validation of Passive Monitors for the Determination of Employee Exposures to Methylene Chloride in Pharmaceutical Production Facilities, 353
- CHEN, Chih-Chieh: Development of Respirable Aerosol Samplers Using Porous Foams, 766
- CHEN, Chih-Chieh: The Effects of Particle Charge on the Performance of a Filtering Facepiece, 227
- CHUNG, Kee-Chiang: Airborne Contaminant Exposure Control in a Partitioned Work Environment by Exhaust Ventilation Systems, 346
- CLANCY, Edward A.: A Descriptive Study of U.S. OSHA Penalties and Inspection Frequency for Musculoskeletal Disorders in the Workplace, 563
- COFFEY, Christopher C.: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part I—Protocol Development, 852
- COFFEY, Christopher C.: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part II—Method Comparison Testing, 862
- COFFEY, Christopher C.: Performance of N95 Respirators: Filtration Efficiency for Airborne Microbial and Inert Particles, 128
- COHEN, Beverly S.: A Portable Vapor/Particle Sampler, 614
- CONGLETON, Jerome J.: Correlation of Injury Occurrence Data with Estimated Maximal Aerobic Capacity and Body Composition in a High Frequency Manual Materials Handling Task, 25
- COOPER, Sharon P.: Evaluating the Relative Status of Health and Safety Programs for Minority Academic and Research Institutions, 882
- COOPER, Steven J.: Evaporation of Metalworking Fluid Mist in Laboratory and Industrial Mist Collectors, 45
- COURTNEY, Theodore K.: A Descriptive Study of U.S. OSHA Penalties and Inspection Frequency for Musculoskeletal Disorders in the Workplace, 563
- COYNE, Karen M.: Respirator Performance Ratings for Speech Intelligibility, 257
- CRAIG, Brian N.: Correlation of Injury Occurrence Data with Estimated Maximal Aerobic Capacity and Body Composition in a High-Frequency Manual Materials Handling Task, 25
- CROOK, B.: The Adaptation of Existing Personal Inhalable Aerosol Samplers for Bioaerosol Sampling, 831
- DALBEY, Walden E.: Use of a Surrogate Aerosol in a Preliminary Screening for the Potential Carcinogenicity of Coal Coated with No. 6 Fuel Oil, 90
- DAS, Sampa: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part I—Protocol Development, 852
- DAVIS, Rickie R.: Trends in Hearing Protector Usage in American Manufacturing from 1972 to 1989, 715
- DE COCK, Johan: Determinants of Exposure to Captan in Fruit Growing, 166
- DE COCK, Johan: Exposure to Captan in Fruit Growing, 158
- DELCO, George: Evaluating the Relative Status of Health and Safety Programs for Minority Academic and Research Institutions, 882
- DENDO, Rocky L.: Effects of Breathing Parameters on Sidestream Cigarette Smoke Deposition in a Hollow Tracheobronchial Model, 381
- DIENER-WEST, M.: Factors Affecting the Retention of Dust Mite Allergen on Carpet, 606
- DILLON, H. Kenneth: An Environmental Chamber for Investigating the Evaporation of Volatile Chemicals, 200
- DONNELLY, Jean: Performance of N95 Respirators: Filtration Efficiency for Airborne Microbial and Inert Particles, 128
- DOOLY, Cathryn R.: Respirator Performance Ratings for Speech Intelligibility, 257
- DOSEMECI, Mustafa: Questionnaires for Collecting Detailed Occupational Information for Community-Based Case Control Studies, 39
- DROWN, David B.: Oxidized Resin Acids in Aerosol Derived from Rosin Core Solder, 889
- DUNN-RANKIN, D.: Transport of Surgically Produced Aerosols in an Operating Room, 393
- DYJACK, D.T.: Comparison of AIHA ISO 9001-Based Occupational Health and Safety Management System Guidance Document with a Manufacturer's Occupational Health and Safety Assessment Instrument, 419
- EDUARD, Wijnand: Methods for Quantitative Assessment of Airborne Levels of Noninfectious Microorganisms in Highly Contaminated Work Environments, 113
- EGGLESTON, P.: Factors Affecting the Retention of Dust Mite Allergen on Carpet, 606
- EMERY, Robert: Evaluating the Relative Status of Health and Safety Programs for Minority Academic and Research Institutions, 882
- ENANDER, Richard T.: Survey of Risk Reduction and Pollution Prevention Practices in the Rhode Island Automotive Refinishing Industry, 478
- ETTINGER, Harry J.: Activity-Based Cost Management Part I: Applied to Occupational and Environmental Health Organizations, 328
- ETTINGER, Harry J.: Activity-Based Cost Management Part II: Applied to a Respiratory Protection Program, 335

1998 AUTHOR INDEX

- ALTEMOSE, Brent A.: Application of a Tracer Gas Challenge with a Human Subject to Investigate Factors Affecting the Performance of Laboratory Fume Hoods, 321
- ANDERSON, Judith: Industrial Hygiene Aspects of a Sampling Survey at a Bleached-Kraft Pulp Mill in British Columbia, 694
- ANDERSON, Judith: Radon-222 and Gamma Ray Levels Associated with the Collection, Processing, Transmission, and Utilization of Natural Gas, 622
- ANNA, Daniel H.: ASTM F739 Method for Testing the Permeation Resistance of Protective Clothing Materials: Critical Analysis with Proposed Changes in Procedure and Test-Cell Design, 547
- ASHLEY, Kevin: Ultrasonic Extraction and Field-Portable Anodic Stripping Voltammetry for the Determination of Lead in Workplace Air Samples, 671
- ASTRAKIANAKIS, George: Industrial Hygiene Aspects of a Sampling Survey at a Bleached-Kraft Pulp Mill in British Columbia, 694
- ATTEBURY, Margaret R.: Reliability of Questionnaire Information Measuring Musculoskeletal Symptoms and Work Histories, 20
- AULT, B.: Organic Dust Exposures from Work in Dairy Barns, 403
- BAND, Pierre: Industrial Hygiene Aspects of a Sampling Survey at a Bleached-Kraft Pulp Mill in British Columbia, 694
- BARON, Sherry: Methods for Assessing the Physical Demands of Manual Lifting: A Review and Case Study from Warehousing, 871
- BARRETT, Leonard W.: Aerosol Loading Performance of Electret Filter Media, 532
- BARTLETT, Karen: Determinants of Wheat Antigen and Fungal α -Amylase Exposure in Bakeries, 313
- BARTLEY, David L.: Laboratory Investigation of the Mass Stability of Sampling Cassettes from Inhalable Aerosol Samplers, 582
- BEARG, David W.: Improving Indoor Air Quality Through the Use of Continual Multipoint Monitoring of Carbon Dioxide and Dew Point, 636
- BERT, Joel: Industrial Hygiene Aspects of a Sampling Survey at a Bleached-Kraft Pulp Mill in British Columbia, 694
- BHATTACHARYA, Amit: Reliability of Questionnaire Information Measuring Musculoskeletal Symptoms and Work Histories, 20
- BISHOP, Richard W.: The Collection and Analysis of 2,3-Dimethyl-2,3-Dinitrobutane Vapor, 388
- BLACKBURN, Gary R.: Use of a Surrogate Aerosol in a Preliminary Screening for the Potential Carcinogenicity of Coal Coated with No. 6 Fuel Oil, 90
- BOLEIJ, Jan S.M.: Determinants of Exposure to Captan in Fruit Growing, 166
- BOLEIJ, Jan S.M.: Exposure to Captan in Fruit Growing, 158
- BOOTH-JONES, Angela D.: Reliability of Questionnaire Information Measuring Musculoskeletal Symptoms and Work Histories, 20
- BRANDT, Michael T.: Activity-Based Cost Management Part I: Applied to Occupational and Environmental Health Organizations, 328
- BRANDT, Michael T.: Activity-Based Cost Management Part II: Applied to a Respiratory Protection Program, 335
- BRAUER, Michael: Kilm Emissions and Potters' Exposures, 706
- BREYSSE, P.N.: Factors Affecting the Retention of Dust Mite Allergen on Carpet, 606
- BROMWICH, David: The Validation of a Permeation Cell for Testing Chemical Protective Clothing, 842
- BROSSEAU, Lisa M.: Aerosol Penetration Behavior of Respiratory Valves, 173
- BROSSEAU, Lisa M.: Improved Methods for Generation, Sampling, and Recovery of Biological Aerosols in Filter Challenge Tests, 234
- BUCHANAN, C.R.: Transport of Surgically Produced Aerosols in an Operating Room, 393
- BURSTYN, Igor: Determinants of Wheat Antigen and Fungal α -Amylase Exposure in Bakeries, 313
- CAMPBELL, Donald L.: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part I—Protocol Development, 852
- CAMPBELL, Donald L.: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part II—Method Comparison Testing, 862
- CHARRON, Ken A.: Field Validation of Passive Monitors for the Determination of Employee Exposures to Methylene Chloride in Pharmaceutical Production Facilities, 353
- CHEN, Chih-Chieh: Development of Respirable Aerosol Samplers Using Porous Foams, 766
- CHEN, Chih-Chieh: The Effects of Particle Charge on the Performance of a Filtering Facepiece, 227
- CHUNG, Kee-Chiang: Airborne Contaminant Exposure Control in a Partitioned Work Environment by Exhaust Ventilation Systems, 346
- CLANCY, Edward A.: A Descriptive Study of U.S. OSHA Penalties and Inspection Frequency for Musculoskeletal Disorders in the Workplace, 563
- COFFEY, Christopher C.: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part I—Protocol Development, 852
- COFFEY, Christopher C.: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part II—Method Comparison Testing, 862
- COFFEY, Christopher C.: Performance of N95 Respirators: Filtration Efficiency for Airborne Microbial and Inert Particles, 128
- COHEN, Beverly S.: A Portable Vapor/Particle Sampler, 614
- CONGLETON, Jerome J.: Correlation of Injury Occurrence Data with Estimated Maximal Aerobic Capacity and Body Composition in a High Frequency Manual Materials Handling Task, 25
- COOPER, Sharon P.: Evaluating the Relative Status of Health and Safety Programs for Minority Academic and Research Institutions, 882
- COOPER, Steven J.: Evaporation of Metalworking Fluid Mist in Laboratory and Industrial Mist Collectors, 45
- COURTNEY, Theodore K.: A Descriptive Study of U.S. OSHA Penalties and Inspection Frequency for Musculoskeletal Disorders in the Workplace, 563
- COYNE, Karen M.: Respirator Performance Ratings for Speech Intelligibility, 257
- CRAIG, Brian N.: Correlation of Injury Occurrence Data with Estimated Maximal Aerobic Capacity and Body Composition in a High-Frequency Manual Materials Handling Task, 25
- CROOK, B.: The Adaptation of Existing Personal Inhalable Aerosol Samplers for Bioaerosol Sampling, 831
- DALBEY, Walden E.: Use of a Surrogate Aerosol in a Preliminary Screening for the Potential Carcinogenicity of Coal Coated with No. 6 Fuel Oil, 90
- DAS, Sampa: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part I—Protocol Development, 852
- DAVIS, Rickie R.: Trends in Hearing Protector Usage in American Manufacturing from 1972 to 1989, 715
- DE COCK, Johan: Determinants of Exposure to Captan in Fruit Growing, 166
- DE COCK, Johan: Exposure to Captan in Fruit Growing, 158
- DELCO, George: Evaluating the Relative Status of Health and Safety Programs for Minority Academic and Research Institutions, 882
- DENDO, Rocky L.: Effects of Breathing Parameters on Sidestream Cigarette Smoke Deposition in a Hollow Tracheobronchial Model, 381
- DIENER-WEST, M.: Factors Affecting the Retention of Dust Mite Allergen on Carpet, 606
- DILLON, H. Kenneth: An Environmental Chamber for Investigating the Evaporation of Volatile Chemicals, 200
- DONNELLY, Jean: Performance of N95 Respirators: Filtration Efficiency for Airborne Microbial and Inert Particles, 128
- DOOLY, Cathryn R.: Respirator Performance Ratings for Speech Intelligibility, 257
- DOSEMECI, Mustafa: Questionnaires for Collecting Detailed Occupational Information for Community-Based Case Control Studies, 39
- DROWN, David B.: Oxidized Resin Acids in Aerosol Derived from Rosin Core Solder, 889
- DUNN-RANKIN, D.: Transport of Surgically Produced Aerosols in an Operating Room, 393
- DYJACK, D.T.: Comparison of AIHA ISO 9001-Based Occupational Health and Safety Management System Guidance Document with a Manufacturer's Occupational Health and Safety Assessment Instrument, 419
- EDUARD, Wijnand: Methods for Quantitative Assessment of Airborne Levels of Noninfectious Microorganisms in Highly Contaminated Work Environments, 113
- EGGLESTON, P.: Factors Affecting the Retention of Dust Mite Allergen on Carpet, 606
- EMERY, Robert: Evaluating the Relative Status of Health and Safety Programs for Minority Academic and Research Institutions, 882
- ENANDER, Richard T.: Survey of Risk Reduction and Pollution Prevention Practices in the Rhode Island Automotive Refinishing Industry, 478
- ETTINGER, Harry J.: Activity-Based Cost Management Part I: Applied to Occupational and Environmental Health Organizations, 328
- ETTINGER, Harry J.: Activity-Based Cost Management Part II: Applied to a Respiratory Protection Program, 335

1998 AUTHOR INDEX

- FANG, Chingping: A Portable Vapor/Particle Sampler, 614
- FANG, Raymond: Industrial Hygiene Aspects of a Sampling Survey at a Bleached-Kraft Pulp Mill in British Columbia, 694
- FARANT, J. P.: Relationship Between Benzo[a] Pyrene and Individual Polycyclic Aromatic Hydrocarbons in a Söderberg Primary Aluminum Smelter, 758
- FERNBACK, Joseph E.: Sampling and Analytical Method Development for Qualitative Assessment of Airborne Mycobacterial Species of the *Mycobacterium tuberculosis* Complex, 540
- FLYNN, Michael R.: Application of a Tracer Gas Challenge with a Human Subject to Investigate Factors Affecting the Performance of Laboratory Fume Hoods, 321
- FOX, Alvin: Total and Viable Airborne Bacterial Load in Two Different Agricultural Environments Using Gas Chromatography-Tandem Mass Spectrometry and Culture: A Prototype Study, 524
- FOX, Karen: Total and Viable Airborne Bacterial Load in Two Different Agricultural Environments Using Gas Chromatography-Tandem Mass Spectrometry and Culture: A Prototype Study, 524
- FUTTER, S.J.: The Adaptation of Existing Personal Inhalable Aerosol Samplers for Bioaerosol Sampling, 831
- GAFFNEY, Rosemary J.: The Collection and Analysis of 2,3-Dimethyl-2,3-Dinitrobutane Vapor, 388
- GALLIMORE, Bradford F.: Activity-Based Cost Management Part II: Applied to a Respiratory Protection Program, 335
- GARDNER, Dale R.: Oxidized Resin Acids in Aerosol Derived from Rosin Core Solder, 889
- GARIÉPY, Manon: Relationship Between Benzo[a]Pyrene and Individual Polycyclic Aromatic Hydrocarbons in a Söderberg Primary Aluminum Smelter, 758
- GONZALEZ, Richard R.: Evaluation of Clothing Systems to Determine Heat Strain, 557
- GOODFELLOW, Howard: Dust Control for Material Handling Operations: A Systematic Approach, 139
- GREENBERG, Michael: A Survey of New Jersey Industrial Hygienists and Safety Engineers: Health and Safety Conditions, Practices, and Priorities for OSHA Reform, 261
- GRIFFITHS, W.D.: The Adaptation of Existing Personal Inhalable Aerosol Samplers for Bioaerosol Sampling, 831
- GRINSHUPUN, Sergey: Method for Measuring the Spatial Variability of Aerosol Penetration Through Respirator Filters, 461
- GRINSHUPUN, Sergey A.: Performance of N95 Respirators: Filtration Efficiency for Airborne Microbial and Inert Particles, 128
- GUTE, David M.: Survey of Risk Reduction and Pollution Prevention Practices in the Rhode Island Automotive Refinishing Industry, 478
- HAGER, Lee D.: Sound Exposure Profiling: A Noise Monitoring Alternative, 414
- HAMILTON, R.G.: Factors Affecting the Retention of Dust Mite Allergen on Carpet, 606
- HARDY, Robert: Evaluating the Relative Status of Health and Safety Programs for Minority Academic and Research Institutions, 882
- HEEDERIK, Dick: Determinants of Exposure to Captan in Fruit Growing, 166
- HEEDERIK, Dick: Exposure to Captan in Fruit Growing, 158
- HEEDERIK, Dick: Methods for Quantitative Assessment of Airborne Levels of Noninfectious Microorganisms in Highly Contaminated Work Environments, 113
- HEINEMAN, Ellen F.: Questionnaires for Collecting Detailed Occupational Information for Community-Based Case Control Studies, 39
- HIRTLE, Bob: Kiln Emissions and Pottery Exposures, 706
- HITCHINGS, Dale T.: Reducing Employee Exposure Potential Using the ANSI/ASHRAE 110 Method of Testing Performance of Laboratory Fume Hoods as a Diagnostic Tool, 133
- HOCKING, M.B.: Indoor Air Quality: Recommendations Relevant to Aircraft Passenger Cabins, 446
- HOEK, Fred: Determinants of Exposure to Captan in Fruit Growing, 166
- HOEK, Fred: Exposure to Captan in Fruit Growing, 158
- HOLTSHOUSE, J.L.: Comparison of AIHA ISO 9001-Based Occupational Health and Safety Management System Guidance Document with a Manufacturer's Occupational Health and Safety Assessment Instrument, 419
- HOWELL, Scott: Improving the Specific Gravity Adjustment Method for Assessing Urinary Concentrations of Toxic Substances, 375
- HU, Peixin: Effect of Baffles and a Louvered Bypass on the Airflow and the Convective Patterns of Contaminant Inside a Fume Hood, 303
- HUANG, Cuiling: Method for Measuring the Spatial Variability of Aerosol Penetration Through Respirator Filters, 461
- HUANG, Sheng-Hsiu: The Effects of Particle Charge on the Performance of a Filtering Facepiece, 227
- HUSMAN, Tuula: Control of Exposure to Airborne Viable Microorganisms During Remediation of Moldy Buildings; Report of Three Case Studies, 455
- INGMAN, D.B.: Effect of Baffles and a Louvered Bypass on the Airflow and the Convective Patterns of Contaminant Inside a Fume Hood, 303
- JANSSEN, Robert: Industrial Hygiene Aspects of a Sampling Survey at a Bleached-Kraft Pulp Mill in British Columbia, 694
- JEDERBERG, Warren W.: Oxidized Resin Acids in Aerosol Derived from Rosin Core Solder, 889
- JENSEN, Paul A.: Sampling and Analytical Method Development for Qualitative Assessment of Airborne Mycobacterial Species of the *Mycobacterium tuberculosis* Complex, 540
- JOHNSON, Arthur T.: Respirator Performance Ratings for Speech Intelligibility, 257
- JORDAN, Susan L.P.: Laboratory and Hospital Evaluation of Four Personal Monitoring Methods for Glutaraldehyde in Ambient Air, 96
- JUCHEMS, Alex M.: Assessing Airborne Aflatoxin B₁ During On-Farm Grain Handling Activities, 252
- KALLIO, Matti: Whole-Body Vibration of Tractor Drivers During Harrowing, 642
- KALLIOKOSKI, Pentti: Control of Exposure to Airborne Viable Microorganisms During Remediation of Moldy Buildings; Report of Three Case Studies, 455
- KAN, Ken: Radon-222 and Gamma Ray Levels Associated with the Collection, Processing, Transmission, and Utilization of Natural Gas, 622
- KAROLY, William J.: Stability Studies of Diphenylmethane Diisocyanate (MDI) on Glass Fiber Filters, 645
- KAUFFMAN, Sirkka A.: Use of Hearing Protection and Perceptions of Noise Exposure and Hearing Loss Among Construction Workers, 466
- KAUFMAN, Joel D.: Employees Exposed to Lead in Washington State Nonconstruction Workplaces: A Starting Point for Hazard Surveillance, 269
- KEIL, C.B.: The Development and Evaluation of an Emission Factor for a Toluene Parts-Washing Process, 14
- KENNEDY, Eugene R.: Laboratory Investigation of the Mass Stability of Sampling Cassettes from Inhalable Aerosol Samplers, 582
- KENNEDY, Susan M.: Determinants of Wheat Antigen and Fungal α -Amylase Exposure in Bakeries, 313
- KENNY, L.C.: The Adaptation of Existing Personal Inhalable Aerosol Samplers for Bioaerosol Sampling, 831
- KERK, Carter J.: Correlation of Injury Occurrence Data with Estimated Maximal Aerobic Capacity and Body Composition in a High-Frequency Manual Materials Handling Task, 25
- KERR, Madeleine J.: Use of Hearing Protection and Perceptions of Noise Exposure and Hearing Loss Among Construction Workers, 466
- KIM, Yelce Y.: The Collection and Analysis of 2,3-Dimethyl-2,3-Dinitrobutane Vapor, 388
- KIMMEL, Edgar C.: Calculation of Exposure Chamber Leak Rate with Thermal Correction: A Measure of Chamber Integrity, 779
- KOTO, Takashi: Indoor Behavior and Risk Assessment Following Residual Spraying of *d*-Phenothrin and *d*-Tetramethrin, 191
- KOTO, Takashi: Indoor Behavior and Risk Assessment Following Space Spraying of *d*-Tetramethrin and *d*-Resmethrin, 181
- KRAHMER, Mark: Total and Viable Airborne Bacterial Load in Two Different Agricultural Environments Using Gas Chromatography-Tandem Mass Spectrometry and Culture: A Prototype Study, 524
- KROMHOUT, Hans: Determinants of Exposure to Captan in Fruit Growing, 166
- KROMHOUT, Hans: Exposure to Captan in Fruit Growing, 158
- KRUEGER, Andrew J.: Use of a Surrogate Aerosol in a Preliminary Screening for the Potential Carcinogenicity of Coal Coated with No. 6 Fuel Oil, 90
- KRUIZE, Hanneke: Exposure to Dust and Its Particle Size Distribution in California Agriculture, 34
- KULLMAN, G.J.: Organic Dust Exposures from Work in Dairy Barns, 403
- KUMAGAI, Shinji: Effects of Variation in Exposure to Airborne Acetone and Difference in Work Load on Acetone Concentrations in Blood, Urine, and Exhaled Air, 242
- LAI, Chane-Yu: Development of Respirable Aerosol Samplers Using Porous Foams, 766
- LARSSON, Lennart: Total and Viable Airborne Bacterial Load in Two Different Agricultural Environments Using Gas Chromatography-Tandem Mass Spectrometry and Culture: A Prototype Study, 524
- LAWLER, John M.: Correlation of Injury Occurrence Data with Estimated Maximal Aerobic Capacity and Body Composition in a High-Frequency Manual Materials Handling Task, 25
- LE, Nhu: Industrial Hygiene Aspects of a Sampling Survey at a Bleached-Kraft Pulp Mill in British Columbia, 694

1998 AUTHOR INDEX

- LEES, P.S.J.: Factors Affecting the Retention of Dust Mite Allergen on Carpet, 606
- LEGRIS, Michel: Noise Exposure Profile Among Heavy Equipment Operators, Associated Laborers, and Crane Operators, 774
- LEITH, David: Evaporation of Metalworking Fluid Mist in Laboratory and Industrial Mist Collectors, 45
- LEMASTERS, Grace K.: Reliability of Questionnaire Information Measuring Musculoskeletal Symptoms and Work Histories, 20
- LEVINE, Leslie: Evaluation of Clothing Systems to Determine Heat Strain, 557
- LEVINE, Steven P.: Activity-Based Cost Management Part I: Applied to Occupational and Environmental Health Organizations, 328
- LEVINE, Steven P.: Activity-Based Cost Management Part II: Applied to a Respiratory Protection Program, 335
- LEVINE, Steven P.: Analysis of Third-Party Certification Approaches Using an Occupational Health and Safety Conformity-Assessment Model, 802
- LEVINE, S.P.: Comparison of AIHA ISO 9001-Based Occupational Health and Safety Management System Guidance Document with a Manufacturer's Occupational Health and Safety Assessment Instrument, 419
- LEVINE, Steven P.: Development and Evaluation of The Michigan Occupational Health and Safety Management System Assessment Instrument: A Universal OHSMS Performance Measurement Tool, 572
- LEVINE, Steven P.: Field Validation of Passive Monitors for the Determination of Employee Exposures to Methylene Chloride in Pharmaceutical Production Facilities, 353
- LEWIS, D.M.: Organic Dust Exposures from Work in Dairy Barns, 403
- LEWIS, R.D.: Factors Affecting the Retention of Dust Mite Allergen on Carpet, 606
- LUSK, Sally L.: Use of Hearing Protection and Perceptions of Noise Exposure and Hearing Loss Among Construction Workers, 466
- MACKERER, Carl R.: Use of a Surrogate Aerosol in a Preliminary Screening for the Potential Carcinogenicity of Coal Coated with No. 6 Fuel Oil, 90
- MANNIX, Richard C.: Effects of Breathing Parameters on Sidestream Cigarette Smoke Deposition in a Hollow Tracheobronchial Model, 381
- MAPP, Korrie J.: Ultrasonic Extraction and Field-Portable Anodic Stripping Voltammetry for the Determination of Lead in Workplace Air Samples, 671
- MARX, J.J.: Organic Dust Exposures from Work in Dairy Barns, 403
- MATOKA, Yoshihide: Indoor Behavior and Risk Assessment Following Residual Spraying of *d*-Phenothrin and *d*-Tetramethrin, 191
- MATOKA, Yoshihide: Indoor Behavior and Risk Assessment Following Space Spraying of *d*-Tetramethrin and *d*-Resmethrin, 181
- MATSUNAGA, Ichiro: Effects of Variation in Exposure to Airborne Acetone and Difference in Work Load on Acetone Concentrations in Blood, Urine, and Exhaled Air, 242
- MAUPINS, Karen: Reducing Employee Exposure Potential Using the ANSI/ASHRAE 110 Method of Testing Performance of Laboratory Fume Hoods as a Diagnostic Tool, 133
- McCULLOUGH, Nicole Vars: Improved Methods for Generation, Sampling, and Recovery of Biological Aerosols in Filter Challenge Tests, 234
- McKENZIE, Robert M.: The Collection and Analysis of 2,3-Dimethyl-2,3-Dinitrobutane Vapor, 388
- McSWEENEY, Kevin P.: Correlation of Injury Occurrence Data with Estimated Maximal Aerobic Capacity and Body Composition in a High-Frequency Manual Materials Handling Task, 25
- MERCHANT, J.A.: Organic Dust Exposures from Work in Dairy Barns, 403
- MILLSON, Mark: Ultrasonic Extraction and Field-Portable Anodic Stripping Voltammetry for the Determination of Lead in Workplace Air Samples, 671
- MISSAGHIAN, Richard: Survey of Risk Reduction and Pollution Prevention Practices in the Rhode Island Automotive Refinishing Industry, 478
- MORGAN, Dennis A.: A Computer Software Application for Managing Occupational Exposure Data, 723
- MORLEY, David: Radon-222 and Gamma Ray Levels Associated with the Collection, Processing, Transmission, and Utilization of Natural Gas, 622
- MYERS, Warren R.: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part I—Protocol Development, 852
- MYERS, Warren R.: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part II—Method Comparison Testing, 862
- MYERS, Warren R.: Field Performance Measurements of Half-Facepiece Respirators: Developing Probability Estimates To Evaluate the Adequacy of an APF of 10, 796
- MYERS, Warren R.: Field Performance Measurements of Half-Facepiece Respirators: Steel Mill Operations, 789
- NELSON, Nancy A.: Employees Exposed to Lead in Washington State Nonconstruction Workplaces: A Starting Point for Hazard Surveillance, 269
- NEVALAINEN, Aino: Control of Exposure to Airborne Viable Microorganisms During Remediation of Moldy Buildings; Report of Three Case Studies, 455
- NICAS, Mark: A Risk/Cost Analysis of Alternative Screening Intervals for Occupational Tuberculosis Infection, 104
- NICAS, Mark: The Effect of Concentration Gradients on Deducing a Contaminant Generation Rate Function, 680
- NIEUWENHUIJSEN, Mark J.: Determinants of Personal Dust Exposure During Field Crop Operations in California Agriculture, 9
- NIEUWENHUIJSEN, Mark J.: Exposure to Dust and Its Particle Size Distribution in California Agriculture, 34
- NY, Evelyn Tjoe: Determinants of Exposure to Captan in Fruit Growing, 166
- NY, Evelyn Tjoe: Exposure to Captan in Fruit Growing, 158
- OCHSNER, Michele: A Survey of New Jersey Industrial Hygienists and Safety Engineers: Health and Safety Conditions, Practices, and Priorities for OSHA Reform, 261
- OLDHAM, Michael J.: Effects of Breathing Parameters on Sidestream Cigarette Smoke Deposition in a Hollow Tracheobronchial Model, 381
- OLENCHOCK, S.A.: Organic Dust Exposures from Work in Dairy Barns, 403
- OPHEIM, Gregory S.: A Computer Software Application for Managing Occupational Exposure Data, 723
- OWENS, P. Greg: A Computer Software Application for Managing Occupational Exposure Data, 723
- PENTTINEN, Jyrki: Whole-Body Vibration of Tractor Drivers During Harrowing, 642
- PHALEN, Robert F.: Effects of Breathing Parameters on Sidestream Cigarette Smoke Deposition in a Hollow Tracheobronchial Model, 381
- POPENDORF, William: Assessing Airborne Aflatoxin B₁ During On-Farm Grain Handling Activities, 252
- POULIN, Pierre: Noise Exposure Profile Among Heavy Equipment Operators, Associated Laborers, and Crane Operators, 774
- PUSKAR, Mark A.: Field Validation of Passive Monitors for the Determination of Employee Exposures to Methylene Chloride in Pharmaceutical Production Facilities, 353
- PUTZ-ANDERSON, Vern: Methods for Assessing the Physical Demands of Manual Lifting: A Review and Case Study from Warehousing, 871
- QIAN, Ying: Method for Measuring the Spatial Variability of Aerosol Penetration Through Respirator Filters, 461
- QIAN, Ying: Performance of N95 Respirators: Filtration Efficiency for Airborne Microbial and Inert Particles, 128
- RAJARETNAM, Gerald: Analysis of Coal Slag for Naturally Occurring Radioactive Material, 471
- RAUTIALA, Sirpa: Control of Exposure to Airborne Viable Microorganisms During Remediation of Moldy Buildings; Report of Three Case Studies, 455
- REDINGER, Charles F.: Analysis of Third-Party Certification Approaches Using an Occupational Health and Safety Conformity-Assessment Model, 802
- REDINGER, Charles F.: Development and Evaluation of The Michigan Occupational Health and Safety Management System Assessment Instrument: A Universal OHSMS Performance Measurement Tool, 572
- REPONEN, Tiina: Control of Exposure to Airborne Viable Microorganisms During Remediation of Moldy Buildings; Report of Three Case Studies, 455
- RHUPH, Paul F.: An Environmental Chamber for Investigating the Evaporation of Volatile Chemicals, 200
- ROUSSEAU, Alan D.: Aerosol Loading Performance of Electret Filter Media, 532
- ROY, Tim A.: Use of a Surrogate Aerosol in a Preliminary Screening for the Potential Carcinogenicity of Coal Coated with No. 6 Fuel Oil, 90
- RYTKONEN, Esko: Whole-Body Vibration of Tractor Drivers During Harrowing, 642
- SARAF, Anita: Total and Viable Airborne Bacterial Load in Two Different Agricultural Environments Using Gas Chromatography-Tandem Mass Spectrometry and Culture: A Prototype Study, 524
- SASAKI, Jennifer: Use of a Surrogate Aerosol in a Preliminary Screening for the Potential Carcinogenicity of Coal Coated with No. 6 Fuel Oil, 90
- SAWKA, Michael N.: Evaluation of Clothing Systems to Determine Heat Strain, 557
- SCHAFER, Millie P.: Sampling and Analytical Method Development for Qualitative Assessment

1998 AUTHOR INDEX

- of Airborne Mycobacterial Species of the *Mycobacterium tuberculosis* Complex, 540
- SCHENKER, Marc B.: Determinants of Personal Dust Exposure During Field Crop Operations in California Agriculture, 9
- SCHENKER, Marc B.: Exposure to Dust and Its Particle Size Distribution in California Agriculture, 34
- SELIM, Mustafa I.: Assessing Airborne Aflatoxin B₁ During On-Farm Grain Handling Activities, 252
- SESHAGIRI, Baily: Occupational Noise Exposure of Operators of Heavy Trucks, 205
- SHEEHAN, Maura J.: The Effectiveness of Local Exhaust-Ventilated (Shrouded) Hand Power Tools Used for Grinding/Sanding Composite Materials, 689
- SHIH, Tung-Sheng: Development of Respirable Aerosol Samplers Using Porous Foams, 766
- SHORK, M.A.: Comparison of AIHA ISO 9001-Based Occupational Health and Safety Management System Guidance Document with a Manufacturer's Occupational Health and Safety Assessment Instrument, 419
- SIEBER, W. Karl: Trends in Hearing Protector Usage in American Manufacturing from 1972 to 1989, 715
- SEGEL, P.D.: Organic Dust Exposures from Work in Dairy Barns, 403
- SIEMIATYCKI, Jack: Questionnaires for Collecting Detailed Occupational Information for Community-Based Case Control Studies, 39
- SILVERSTEIN, Barbara: An Ergonomic Characterization of Work in Concrete Form Construction, 629
- SMANDYCH, R. Susan: Dust Control for Material Handling Operations: A Systematic Approach, 139
- SMITH, Dean G.: Activity-Based Cost Management Part I: Applied to Occupational and Environmental Health Organizations, 328
- SMITH, Dean G.: Activity-Based Cost Management Part II: Applied to a Respiratory Protection Program, 335
- SMITH, Jerome P.: Laboratory Investigation of the Mass Stability of Sampling Cassettes from Inhalable Aerosol Samplers, 582
- SMITH, Philip A.: Oxidized Resin Acids in Aerosol Derived from Rosin Core Solder, 889
- SORAINEN, Esko: Whole-Body Vibration of Tractor Drivers During Harrowing, 642
- SPIELHOLZ, Peregrin: An Ergonomic Characterization of Work in Concrete Form Construction, 629
- SPITZ, Henry B.: Analysis of Coal Slag for Naturally Occurring Radioactive Material, 471
- SPRANKLE, Jay: Application of a Tracer Gas Challenge with a Human Subject to Investigate Factors Affecting the Performance of Laboratory Fume Hoods, 321
- STAGG, S.: The Adaptation of Existing Personal Inhalable Aerosol Samplers for Bioaerosol Sampling, 831
- STANCLIFFE, J.D.: The Adaptation of Existing Personal Inhalable Aerosol Samplers for Bioaerosol Sampling, 831
- STEWART, Patricia Ann: Questionnaires for Collecting Detailed Occupational Information for Community-Based Case Control Studies, 39
- STEWART, Walter F.: Questionnaires for Collecting Detailed Occupational Information for Community-Based Case Control Studies, 39
- STEWART, I.W.: The Adaptation of Existing Personal Inhalable Aerosol Samplers for Bioaerosol Sampling, 831
- STILL, Kenneth: Oxidized Resin Acids in Aerosol Derived from Rosin Core Solder, 889
- STOWERS, Mario F.: Laboratory and Hospital Evaluation of Four Personal Monitoring Methods for Glutaraldehyde in Ambient Air, 96
- SUCCOP, Paul: Reliability of Questionnaire Information Measuring Musculoskeletal Symptoms and Work Histories, 20
- SULEWSKI, Robert: ASTM F739 Method for Testing the Permeation Resistance of Protective Clothing Materials: Critical Analysis with Proposed Changes in Procedure and Test-Cell Design, 547
- SVIRCHEV, Laurence: Industrial Hygiene Aspects of a Sampling Survey at a Bleached-Kraft Pulp Mill in British Columbia, 694
- TAATOLA, Kirsti: Whole-Body Vibration of Tractor Drivers During Harrowing, 642
- TABUCHI, Takeo: Effects of Variation in Exposure to Airborne Acetone and Difference in Work Load on Acetone Concentrations in Blood, Urine, and Exhaled Air, 242
- TAKIMOTO, Yoshiyuki: Indoor Behavior and Risk Assessment Following Space Spraying of *d*-Tetramethrin and *d*-Resmethrin, 181
- TAKIMOTO, Yoshiyuki: Indoor Behavior and Risk Assessment Following Residual Spraying of *d*-Phenothrin and *d*-Tetramethrin, 191
- TANG, Clement: Industrial Hygiene Aspects of a Sampling Survey at a Bleached-Kraft Pulp Mill in British Columbia, 694
- TESCHKE, Kay: Determinants of Wheat Antigen and Fungal α -Amylase Exposure in Bakeries, 313
- TESCHKE, Kay: Kiln Emissions and Potters' Exposures, 706
- THOMSON, Murray: Dust Control for Material Handling Operations: A Systematic Approach, 139
- THORNE, P.S.: Organic Dust Exposures from Work in Dairy Barns, 403
- TIETSWORTH, Jan Edward: The Effectiveness of Local Exhaust-Ventilated (Shrouded) Hand Power Tools Used for Grinding/Sanding Composite Materials, 689
- TRAWICK, Earl G.: Laboratory and Hospital Evaluation of Four Personal Monitoring Methods for Glutaraldehyde in Ambient Air, 96
- ULEVICIUS, Vidmantas: Method for Measuring the Spatial Variability of Aerosol Penetration Through Respirator Filters, 461
- VAN NETTEN, Chris: Kiln Emissions and Potters' Exposures, 706
- VAN NETTEN, Chris: Radon-222 and Gamma Ray Levels Associated with the Collection, Processing, Transmission, and Utilization of Natural Gas, 622
- VESLEY, Donald: Improved Methods for Generation, Sampling, and Recovery of Biological Aerosols in Filter Challenge Tests, 234
- VI, Harv S.: Improving the Specific Gravity Adjustment Method for Assessing Urinary Concentrations of Toxic Substances, 375
- VINCENT, James H.: Improved Methods for Generation, Sampling, and Recovery of Biological Aerosols in Filter Challenge Tests, 234
- VINCENT, James H.: International Occupational Standards: A Review and Commentary, 729
- WALDRON, P.F.: Organic Dust Exposures from Work in Dairy Barns, 403
- WANG, L.: Air Sampling methods for Diisocyanates: Dynamic Evaluation of SUPELCO ORBO[®]-80 Coated Filters, 491
- WASS, Terry L.: Laboratory and Hospital Evaluation of Four Personal Monitoring Methods for Glutaraldehyde in Ambient Air, 96
- WATERS, Thomas R.: Methods for Assessing the Physical Demands of Manual Lifting: A Review and Case Study from Warehousing, 871
- WEGH, Hillion: Determinants of Exposure to Captan in Fruit Growing, 166
- WEGH, Hillion: Exposure to Captan in Fruit Growing, 158
- WELLONS, Stephen L.: Laboratory and Hospital Evaluation of Four Personal Monitoring Methods for Glutaraldehyde in Ambient Air, 96
- WEN, X.: Effect of Baffles and a Louvered Bypass on the Airflow and the Convective Patterns of Contaminant Inside a Fume Hood, 303
- WIKER, Steven F.: An Ergonomic Characterization of Work in Concrete Form Construction, 629
- WILLEKE, Klaus: Method for Measuring the Spatial Variability of Aerosol Penetration Through Respirator Filters, 461
- WILLEKE, Klaus: Performance of N95 Respirators: Filtration Efficiency for Airborne Microbial and Inert Particles, 128
- WOLBERT, Brenda J.: A Computer Software Application for Managing Occupational Exposure Data, 723
- XIONG, Judy Q.: A Portable Vapor/Particle Sampler, 614
- YEH, Wen-Yu: Development of Respirable Aerosol Samplers Using Porous Foams, 766
- YENI-KOMSHIAN, Frace H.: Respirator Performance Ratings for Speech Intelligibility, 257
- ZELLERS, Edward T.: ASTM F739 Method for Testing the Permeation Resistance of Protective Clothing Materials: Critical Analysis with Proposed Changes in Procedure and Test-Cell Design, 547
- ZHOU, Xiao-Hua: Estimating the Mean Value of Occupational Exposures, 785
- ZHUANG, Ziqing: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part I—Protocol Development, 852
- ZHUANG, Ziqing: Comparison of Six Respirator Fit-Test Methods with an Actual Measurement of Exposure in a Simulated Health Care Environment: Part II—Method Comparison Testing, 862
- ZHUANG, Ziqing: Field Performance Measurements of Half-Facepiece Respirators: Developing Probability Estimates to Evaluate the Adequacy of an APF of 10, 796
- ZHUANG, Ziqing: Field Performance Measurements of Half-Facepiece Respirators: Steel Mill Operations, 789

1998 SUBJECT INDEX

A

- abrasive blasting
 - analysis of coal slag for naturally occurring radioactive material, 471-477
- academic research institutions
 - status of health and safety programs in minority institutions, 882-888
- accreditation
 - definition, 803
 - international programs, 808
- acetone
 - biological indicators of exposure, 242-251
 - effects of variation in exposure and difference in work load on biological indicators, 242-251
 - safety of threshold tests, 369 (LTE)*
- ACGIH. *See* American Conference of Governmental Industrial Hygienists
- acrolein
 - exposure from kiln emissions, 712
- actinomycetes
 - exposure to airborne microorganisms during renovation of moldy buildings, 455-460
- activity-based cost management
 - application in occupational and environmental health organizations, 328-334
 - applied to respiratory protection program, 335-345
 - business process mapping, 337
 - cost computation, 339
 - cost decomposition vs. process, 330-331
 - cost tracing, 337-339
 - designing and building a model, 336-339
 - principles, 330
 - utility in environmental, safety, and health management, 343
- Adams, Austin (book reviewed), 52
- AEA Technology reference cyclone sampler
 - description, 835
- aerobic capacity
 - correlation with injury, 25-33
- ergometry, 26-27
- aerosols
 - biological (*See also* bioaerosols)
 - methods for generation, sampling, and recovery in filter challenge tests, 234-241
 - recovery of organisms from filters, 235, 238
 - total vs. culturable particle measurements, 235-236
 - effect of electrostatic charge on filtering facepiece, 227-233
 - effectiveness of shrouded tools in capturing dust from composite materials, 689-693
 - effects of tidal volume and breathing frequency on cigarette smoke deposition, 381-387
 - establishing occupational exposure standards, 730
 - evaporation of metalworking fluid mist in mist collectors, 45-51
 - exposure to kiln emissions, 706-714
 - filtration efficiency of N95 respirators for airborne particles, 128-132
 - loading performance of electret filter media, 532-539
 - mass stability of sampling cassettes from inhalable aerosol samplers, 582-585
 - measuring the spatial variability of penetration through respirator filters, 461-465
 - oxidized resin acids derived from rosin core solder, 889-894
 - phase distribution, 614
 - quantitative assessment of airborne levels of noninfectious microorganisms, 113-127

* Locators followed by the designator (LTE) indicate a letter to the editor.

- respirable aerosol samplers using porous foams, 766-773
- surgically produced, transport in an operating room, 393-402
- use of a surrogate in screening for carcinogenicity of fuel-coated coal, 90-95
- valve leakage in respirators, 173-180
- aerosol sampling
 - respirable aerosol samplers using porous foams, 766-773
- aerosol size spectrometers
 - time-of-flight, 767
- aflatoxins
 - exposure of farm workers to aflatoxin B₁ during grain handling, 252-256
- AGI-30 all-glass impinger
 - description, 115-116
 - sampling efficiency, 120
- agricultural workers
 - airborne bacterial load in two agricultural environments, 524-531
 - cancer rates, 253
 - exposure to aflatoxins in grain handling operations, 252-256
 - increased risk for respiratory disease, 406
 - organic dust exposures in dairy farming, 403-413
- agriculture
 - determinants of personal dust exposure levels during field crop operations, 9-13
 - dust exposure during land planing and disking, 10-12
 - personal dust exposure and particle size distribution in agricultural operations, 34-38
- AIHA. *See* American Industrial Hygiene Association
- AIHA ISO 9001
 - audit outcomes, 420-421
 - auditor qualifications, 420
 - comparison with Goodyear management and audit system, 419-429
 - major elements, 420
 - methods of comparison with traditional Goodyear audit, 423-426
 - registration and audit process, 421
- air-purifying devices
 - effect of electrostatic charge on filtering facepiece, 227-233
- air quality
 - air requirements for human respiration, 447
 - effects of various exchange rates, 447-448
 - indoor
 - exposure to microorganisms during renovation of moldy buildings, 455-460
 - human contribution to poor air quality in aircraft passenger cabins, 446-454
 - improvement with continual multipoint monitoring of CO₂ and dew point, 636-641
 - influence of filter efficiency, 451
 - recommendations for aircraft passenger cabins, 451-453
- air sampling
 - field method for determining exposure to airborne lead particles, 671-679
- airborne contaminants
 - exposure control in a partitioned environment, 346-352
 - in the automobile refinishing industry, 480-481
- airborne microorganisms
 - airborne bacterial load in two agricultural environments, 524-531
 - assessment of airborne mycobacterial species of the *Mycobacterium tuberculosis* complex, 540-546
- airborne particulates
 - analytical method for determining lead in workplace air samples, 671-679
- airborne pathogens
 - air exchange rates in aircraft passenger cabins, 450-452
- aircraft passengers
 - recommendations for air quality in passenger cabins, 446
- airline industry
 - current practices for aircraft air exchange, 451
 - recommendations for air quality improvements in aircraft passenger cabins, 451-453
- airway model
 - hollow tracheobronchial, effects of breathing parameters on cigarette smoke deposition, 382
- AIRxpert/6000[®]
 - improvement of indoor air quality with continual multipoint monitoring, 636-641
- Allen, David T. (book reviewed), 435
- allergens
 - factors affecting retention of dust mite allergen on carpet, 606-613
 - measuring constituents of aerosols, 118
- aluminum smelter
 - relationship between benzo[a]pyrene and polycyclic aromatic hydrocarbons, 758-765
- American Conference of Governmental Industrial Hygienists (ACGIH) (*See* threshold limit values (TLVs))
- American Industrial Hygiene Association (AIHA)
 - accredited laboratories, 278-291, 438-440, 648-661
 - author guidelines, 79-80
 - committees 1999, 813-817
 - conformity assessment programs, 806
 - consultants listing, 58-77, 498-520
 - impact on policy in the United States, 733
 - occupational health and safety management system, 420, 573 (*See also* AIHA 9000)
 - organizational members, 150-152, 359-361, 589-591, 818-820
 - survey of members in New Jersey, 261-268
- American National Standards Institute (ANSI)
 - methods (*See specific ANSI method*)
- American Society of Heating, Refrigeration, and Air-Conditioning Engineers (ASHRAE)
 - methods (*See specific ASHRAE method*)
 - recommendations for aircraft passenger cabin carbon dioxide levels, 450-451
- American Society of Safety Engineers
 - survey of members in New Jersey, 261-268
- American Society for Testing and Materials (ASTM)
 - methods (*See specific ASTM method*)
- ammonia
 - exposure in dairy farms, 404, 411
- α -amylase
 - determinants of exposure in bakeries, 313-320
- Anderson sampler, 115
- anodic stripping voltammetry
 - analytical method for determining lead in workplace air samples, 671-679
- ANSI/ASHRAE 110-1995 *Method of Testing Performance of Laboratory Fume Hoods*, 134-135
- antigens
 - measuring constituents of aerosols, 118
- Araki's b slope, 376
- Arbeidstilsynet (Labour Inspection) (Norway)
 - setting occupational exposure limits in Norway, 734-735
- Army Health Management Information System
 - components, 723
- asbestos
 - effects of work rate and particle size on penetration in negative pressure respirators, 173-180
 - local exhaust method used for remediation of moldy buildings, 456, 458
 - role of revised standards in conformity assessment, 806

1998 SUBJECT INDEX

- ASHRAE. *See* American Society of Heating, Refrigeration, and Air-Conditioning Engineers
- ASHRAE 100
test method for fume hood efficiency evaluation, 133-135
- Aspergillus flavus*
exposure of farm workers to aflatoxin during grain-handling, 252-256
- assigned protection factors (APFs)
appropriateness of the APF for half-facepiece respirators, 796-801
for half-facepiece respirators in a steel mill, 789-795
in establishing pass/fail levels for quantitative fit tests, 868
use of quantitative fit tests in establishing, 853
- asthma
baker's, determinants of exposure to α -amylase and wheat antigen in bakeries, 313-320
- ASTM method F739-96, 547-548, 842, 845-850
- automotive systems
comparison of AIHA ISO 9001 with Goodyear management and audit system, 419-429
- Australia
national policy for establishing occupational exposure limits, 734-735
- Australian Institute of Occupational Hygienists, 735
- automotive industry
QS 9000, conformity assessment, 808
- automotive refinishing
hazardous waste management, 483-484
industry and workforce profiles, 479-480
pollution prevention practices, 483
survey of risk reduction and pollution prevention practices in Rhode Island, 478-489
workplace contaminants and hazards, 480-488
workplace controls and personal protection practices, 487-488
- Ayoub, M.M. (book reviewed), 495-496
- B**
- back pain
economic impact in U.S., 871
- baffles
effect of different lengths and locations within a fume hood, 308-309
effect on airflow and convective patterns of contaminants, 303-312
- bakeries
effects of type of product, instruments used, and use of divider oil on exposure levels for α -amylase and wheat antigen, 315-318
- bakery workers
determinants of exposure to α -amylase and wheat antigen in bakeries, 313-320
- Baselt, R.C. (book reviewed), 823-824
- Basic Concepts of Industrial Hygiene* (Scott), 495
- benzo[a]pyrene
relationship with individual polycyclic aromatic hydrocarbons in an aluminum smelter, 758-765
- Bien, Ching-Tsen (book reviewed), 362-363
- binomial statistics
to evaluate assigned protection factor for half-facepiece respirators, 798-801
- bioaerosol exposure
quantitative assessment of, 113-127
- bioaerosols
adaptation of personal inhalable aerosol samplers for bioaerosol sampling, 831-841
assessment of airborne mycobacterial species of the *Mycobacterium tuberculosis* complex, 540-546
characteristics of sampler for assessing exposure, 832
constituents of organic dust in dairy farming, 405-406
organic dust exposures in dairy farming, 403-413
- biocontamination
determined by levels of bacterial cell envelope components and culture, 524-531
- biological monitoring
effects of variation in exposure to acetone and differences in work load, 242-251
improving specific gravity adjustment method for urine testing, 375-380
- Biological Monitoring Methods for Industrial Chemicals*, 3rd edition (Baselt), 823-824
- bloodborne pathogens
transport of surgically produced aerosols, 393-402
- body composition
correlation with injury, 25-33
measuring, 27
- book reviews (*See specific author, specific title*)
- brain cancer
job-specific module developed to identify risk factors, 40
- breakthrough time
new cell for testing chemically protective clothing, 845-850
testing permeation resistance of protective clothing, 547-556
- breathing frequency
effect on cigarette smoke deposition, 384-386
- British Occupational Hygiene Society, 734
- British Standard's Institute (BS)
BS 8800, 573, 809
- building renovation
controlling exposure to airborne microorganisms during remediation of moldy buildings, 455-460
- Burke, Robert (book reviewed), 214
- business process mapping, 337
- 1-butanol
safety of threshold tests, 369 (LTE)*
- C**
- calcium
exposure sampling, field performance of half-facepiece respirators in a steel mill, 789-795
- calcium oxide
validation of exposure estimates at a bleached-kraft pulp mill, 694-705
- California
determinants of personal dust exposure levels during field crop operations, 9-13
dust exposure and particle size distribution in agricultural operations, 34-38
- captan
dermal exposure, 168-171
determinants of exposure in fruit-growing operations, 166-172
effect of cabin use on exposure levels, 167-170
exposure in fruit-growing operations, 158-165
half-life, 169
respiratory exposure, 168-170
sampling and analysis methods, 160-161
- Carayon, P. (book reviewed), 52-53
- carbon dioxide
effects of rates of exchange on equilibrium carbon dioxide concentration, 447-450
improvement of indoor air quality with continual multipoint testing, 636-641
removal options for aircraft, 450
use of distributed passive sensors in return plenum, 637-638
- carbon monoxide
exposure to kiln emissions, 707, 711, 713
validation of exposure estimates at a bleached-kraft pulp mill, 694-705
- carcinogenicity
of coal treated with No. 6 fuel oil, 90-95
- carcinogens
exposure in the automobile refinishing industry, 481
exposure limits for methylene chloride, 353
- using benzo[a]pyrene to monitor polycyclic aromatic hydrocarbons, 758-759
- carpenters
ergonomic characterization of work in concrete form construction, 629-635
interventions for reduction of biomechanical risk factors, 633-634
musculoskeletal discomfort survey of concrete form workers, 631-632
reliability of questionnaire information measuring symptoms and histories, 21-24
use of hearing protection and perceptions of noise exposure and hearing loss, 466-470
work sampling of concrete form workers, 631-634
- carpet
factors affecting retention of dust mite allergen, 606-613
micro- and macro-occlusion characteristics, 607-608, 610-612
soiling characteristics, 607
- cascade impactor
Anderson sampler, description and comparison with other impactors, 115
measuring personal dust exposure, 10-12, 35-36
sampling efficiency of the Anderson sampler, 120
- case control studies
questionnaires for collecting occupational information, 39-44
- certification
definition, 803
third-party, analysis using occupational health and safety conformity-assessment model, 802-812
- chemical analysis
of 2,3-dimethyl-2,3-dinitrobutane, 388-392
- chlorine dioxide
reduction to chlorine, 698-704
validation of exposure estimates at a bleached-kraft pulp mill, 694-705
- chromium compounds
carcinogenic potency, 8 (LTE)*
welding operations yielding emission of hexavalent chromium, 8 (LTE)*
- cigarette smoke deposition
effects of tidal volume and breath frequency on sidestream deposition, 381-387
mechanisms, 382
- coal
carcinogenic potential of coal treated with No. 6 fuel oil, 90-95
extractable organic compounds, 92-93
particle size distribution of untreated coal, 92
- coal slag
analysis for naturally occurring radioactive material, 471-477
- coal tar pitch volatiles
relationship between benzo[a]pyrene and polycyclic aromatic hydrocarbons, 758-765
- comparison testing
of six respirator fit-test methods, 864-870
- composites
effectiveness of shrouded tools in capturing dust from grinding/sanding operations, 689-693
- computer applications
managing occupational exposure data with the Health Hazard Information Module, 723-728
- computer-assisted personal interview
use in job-specific modules, 40
- concentration gradients
effect on deducing a contaminant generation rate function, 680-688
- conformity assessment
analysis of third-party certification approaches, 802-812
definition, 803
ISO 14000, 808
Occupational Health and Safety Administration enforcement programs, 803-804

1998 SUBJECT INDEX

- of various programs, 806
- QS 9000, 808-809
- role of International Organization for Standardization, 807-809
- third party, political issues, 809-810
- Conrad, Ronald Gray (obituary), 85
- construction workers
 - ergonomic characterization of work in concrete form construction, 629-635
 - field method for determining exposure to airborne lead particles, 671-679
 - noise exposure profile of heavy equipment operators, associated laborers, and crane operators, 774-778
 - use of hearing protection and perceptions of noise exposure and hearing loss, 466-470
- contaminant control
 - airborne exposure control in a partitioned environment, 346-352
 - convective patterns inside a fume hood, 305-307
- contaminant generation rate
 - effect of concentration gradient on deducing, 680-688
- Contemporary Ergonomics: 1997* (Robertson), 743
- Cooper, André R. (book reviewed), 743
- Cooper's Toxic Exposures Disk Reference with CD-ROM* (Cooper), 743
- corona charged polypropylene
 - aerosol loading performance, 532-539
- cost accounting
 - activity-based cost management, 328-345
- cost analysis
 - in activity-based cost management, 339
 - of disease screening and prevention programs, 108-112
- cost management
 - activity-based, in occupational and environmental health organizations, 328-334
 - impact of economic pressures on occupational and environmental health organizations, 328-330
- cost tracing, 337-339
- cow urine antigen
 - exposure in dairy farms, 404, 409
- crane operators
 - noise exposure profile, 777
- cross draft
 - variables influencing hood containment efficacy, 324-325
- culturable fractions
 - in bioaerosol sampling, 834-837
- D**
 - 3D Static Strength Prediction Program (3DSSPP)
 - description, 873
 - dehydroabietic acid
 - presence in aerosols from rosin core soldering processes, 891-893
 - dermal sensitivity
 - exposure to oxidized resin acids in aerosol derived from rosin core solder, 892
 - Dermatophagoides farinae*
 - factors affecting retention of allergen on carpet, 606-613
 - Dermatophagoides pteronyssinus*
 - factors affecting retention of allergen on carpet, 606-613
 - dew point
 - improvement of indoor air quality with continual multipoint monitoring, 636-641
 - diisocyanates
 - collection efficiency of ORBO-80 coated filter for sampling, 490-494
 - construction of generating system, 491
 - 2,3-dimethyl-2,3-dinitrobutane vapor
 - collection and analysis, 388-392
 - 2,4-dinitrophenylhydrazine-impregnated filter
 - description, 97
- diphenylmethane diisocyanate
 - stability studies on glass fiber filters, 645-647
- disease transmission
 - in aircraft, 450-452
- dust
 - adequacy of assigned protection factor for half-facepiece respirators, 796-801
 - complications from dust emissions, 139
 - constituents of organic dust in dairy farms, 404-406
 - control technologies, 143-145
 - collection systems, 143-144
 - suppression systems, 144
 - determinants of personal dust exposure levels during field crop operations, 9-13
 - effectiveness of shrouded tools in capturing dust from composite materials, 689-693
 - exposure to aflatoxins in grain-handling operations, 252-256
 - exposure to flour dust in bakeries, 313-320
 - exposure in steel mill operation, field performance of half-facepiece respirators, 789-795
 - measuring personal dust exposure, 10-12, 35-37
 - organic, exposure in dairy barns, 403-413
 - personal exposure and particle size distribution in California agricultural operations, 34-38
 - source operations, 140-142
 - use in the determination of airborne bacterial load, 524-531
 - vacuum sampling of carpet for factors affecting retention of dust mite allergen, 606-613
 - wood, validation of exposure estimates at a bleached-kraft pulp mill, 694-705
- dust control
 - systematic approach, 139-146
- dust mites
 - factors affecting retention of allergen on carpet, 606-613
- E**
 - economics
 - impact of economic pressures on occupational and environmental health organizations, 328-330
 - Edworthy, Judy (book reviewed), 52
 - electret filter
 - aerosol loading performance when challenged with sodium chloride and dioctyl phthalate, 532-539
 - effect of electrostatic charge on filtering facepiece, 227-233
 - electric power workers
 - monitoring effects of electromagnetic fields, 222-223 (LTE)*
 - electro-chemical sensors
 - for validation of short-term exposure at a bleached-kraft pulp mill, 694-705
 - electromagnetic fields
 - animal study of exposure effects, 222-223 (LTE)*
 - health risks in exposed workers, 223 (LTE)*
 - monitoring effects, 222-223 (LTE)*
 - 5' nucleotidase (5'NT) as a biological marker, 223 (LTE)*
 - electronics workers
 - exposure to oxidized resin acids in aerosol derived from rosin core solder, 889-894
 - ELPAT. See Environmental Lead Proficiency Testing (ELPAT) Program
 - emission factor
 - development of an emission factor for toluene parts-washing process, 14-19
 - end-exhaled air sampling
 - of Freon-113 concentrations, 854-860
 - endotoxins
 - exposure in dairy farms, 404, 408
 - measuring constituents of aerosols, 118
 - environmental chamber
 - for investigating effects of temperature and chemical interactions on gaseous emissions, 200-204
 - environmental health organizations
 - activity-based cost management, 328-334
 - role of environmental, safety, and health managers in cost management, 329
 - Environmental Lead Proficiency Analytical Testing (ELPAT) Program
 - background and program description, 86-89, 431-433, 593-595
 - round 20, methods and statistical analysis, 86-88
 - round 21, methods and statistical analysis, 430-431
 - round 22, methods and statistical analysis, 592-593
 - environmental management system
 - ISO 14001, 808
 - Environmental Protection Agency (EPA)
 - determining method detection limit for 2,3-dimethyl-2,3-dinitrobutane, 390-391
 - StarTrack program, 807, 809
 - Environmental Xenobiotics* (Richardson), 586
 - ergonomic risk factors
 - ergonomic characterization of work in concrete form construction, 629-635
 - The Ergonomic Casebook: Real World Solutions* (Kohn), 214
 - Ergonomic Design of Material Handling Systems* (Kroemer), 362
 - ergonomics
 - Occupational Health and Safety Administration
 - penalties and inspection frequency for musculoskeletal disorders, 563-571
 - Escherichia coli*
 - bioaerosol sampling, 833-837
 - estimating
 - evaluation of four estimators of occupational exposure, 785-788
 - probability estimates to evaluate adequacy of respirator assigned protection factors, 796-801
 - ethics
 - of threshold testing, 369 (LTE)*
 - Euryglossus maynei*
 - factors affecting retention of allergen on carpet, 606-613
 - evaporation
 - of metalworking fluid mist, 45-51
 - explosives
 - 2,3-dimethyl-2,3-dinitrobutane as a tag for plastic explosives, 388
 - exposure
 - determinants of exposure to captan in fruit-growing operations in the Netherlands, 166-172
 - enhancing worker recall with job-specific modules, 39-44
 - reducing exposure potential using ASHRAE 110 as a diagnostic tool, 138
 - survey of employee exposure to lead in nonconstruction workplaces, 269-277
 - exposure assessment
 - ergonomic characterization of work in concrete form construction, 629-635
 - portable vapor/particle sampler for volatile organic compounds, 614-621
 - protocol selection criteria, 414-415
 - exposure chamber integrity
 - calculation of leak rate with thermal correction, 779-784
 - mathematical assessment, 780-783
 - static and active pressure methods, 780, 782-783
 - exposure limits
 - for methylene chloride, 353
 - exposure measurement
 - comparison of six quantitative fit-test methods, 862-870

1998 SUBJECT INDEX

- protocol development for comparing quantitative fit-test methods, 852-861
- exposure monitoring
 - personal sampling survey at a bleached-kraft pulp mill, 694-705
- Exposure Standards Expert Working Group (Australia)
 - setting occupational exposure limits in Australia, 734-735

F

- face velocity
 - variables influencing hood containment efficacy, 324-325
- factory workers
 - exposure to acetone in a hard metals factory, 245-251
- farm workers (*See* agricultural workers)
- filter efficiency
 - improved methods for generation, sampling, and recovery of biological aerosols in filter challenge tests, 234-241
 - measuring a wide range of collection efficiencies, 235, 237
- filters
 - effect of electrostatic charge on a filtering facepiece, 227-233
 - stability of diphenylmethane diisocyanate on glass fiber filter paper, 645-647
 - respirator and surgical mask, methods for sampling and recovery of bioaerosols, 234-241
- fit factors
 - of six quantitative fit-test methods against actual measure of exposure, 852-861, 862-870

FLUENT

- software to track airflow and particle simulations, 394
- foam samplers (*See* porous foam filter media)

formaldehyde

- bench scale environmental chamber, 200-204
- kiln emissions, 712

Freon-113

- end-exhaled air concentration, 858-860
- indicator of exposure in a comparison study of six quantitative fit tests, 853-860, 862-870
- interaction with corn oil in exposure chamber, 856
- pharmacokinetic model, 855, 859

Friend, M.A. (book reviewed), 823

fruit growing

- characteristics of exposure to captan in the Netherlands, 158-165
- characteristics of operations in the Netherlands, 159
- determinants of exposure to captan in fruit-growing operations in the Netherlands, 166-172

fuel oil

- No. 6, carcinogenic potential of coal coated with, 90-95

fume hoods

- convective patterns of contaminant in hood with baffles, 305-307
- effect of baffles and louvered bypass on airflow and convective patterns of contaminant, 303-312
- efficacy of face velocity testing, 134
- efficiency testing using ASHRAE 100, 133-138
- flow patterns with and without baffles, 305
- importance of vortex formation, 325
- influence of face velocity and cross drafts on containment ability, 324-325
- laboratory, factors affecting performance, 321-327
- modifications to hoods based on findings of efficiency testing, 135-136
- performance before and after ASHRAE 100 testing, 136-138

Fundamentals of Occupational Safety and Health (Kohn, Friend, Winterberger), 823

Fundamentals of Aquatic Toxicology (Rand), 147

fungi

- exposure to airborne microorganisms during renovation of moldy buildings, 455-460
- species found during renovation of moldy buildings, 458-459

fungicides

- characteristics of exposure to captan in fruit-growing operations in the Netherlands, 158-165
- determinants of exposure to captan in fruit-growing operations in the Netherlands, 166-172

G

gamma ray

- exposure levels associated with natural gas processing, 622-628

gas chromatography

- detection of 2,3-dimethyl 2,3-dinitrobutane vapor, 389-392
- of end-expired air for measuring Freon-113 exposure, 857-858

gas chromatography/mass spectrometry

- airborne bacterial load in two agricultural environments, 524-531
- identification of oxidized resin acids in aerosol derived from rosin core solder, 889-894

gas emissions

- environmental chamber for testing effects of temperature and chemical interactions, 200-204

gloves

- ASTM method F739 for testing permeation resistance of protective clothing, 547-556
- updated breakthrough times for gloves, 670 (LTE)*

glucans

- measuring constituents of aerosols, 118

glutaraldehyde

- atmosphere generation, 98-99
- evaluation and comparison of personal monitoring methods, 96-103
- meter (Glutaraldemeter®), description, 98
- personal air monitoring methods, 97-98

Goodyear Tire & Rubber Co.

- audit data, 423-426
- comparison of AIHA ISO 9001 with Goodyear management and audit system, 419-429
- industrial health and safety systems review, 421-423

grain handling operations

- exposure to aflatoxin B₁, 252-256

gravimetric measurement

- mass stability of sampling cassettes from inhalable aerosol samplers, 582-585

Griffith cell

- design and major features, 843-844
- validation and comparison to reference American Society for Testing and Materials cell, 842-851

grocery warehouse

- case study of physical demands on workers, 873-878

A Guide To: Manual Materials Handling, 2nd edition (Mital, Nicholson, and Ayoub), 495-496

H

Hagberg, M. (book reviewed), 52-53

Handbook of Environmental Fate and Exposure Data for Organic Chemical, Volume V: Solvents 3 (Howard), 294

hard metal factory

- acetone exposure, 245-251

Hartman (book reviewed), 663

hazard assessment

- status of health and safety programs in minority academic/research institutions, 882-888
- survey of health and safety workers in New Jersey, 264-266

Hazardous Materials Chemistry for Emergency Responders (Burke), 214

health and safety programs

- status in minority academic/research institutions, 882-888

health care workers

- filtration efficiency of N95 respirators for airborne particles, 128-132
- screening intervals for tuberculosis, 104-112
- study of exposure in a simulated health care environment, 863
- transport of surgically produced aerosols in an operating room, 393-402

Health Hazard Information Module

- applicability in occupational and environmental hygiene, 727-728
- corporate mainframe distribution statistics, 725
- data flow, 724-725
- features, 725-726
- managing occupational exposure data, 723-728
- system requirements, 724

hearing conservation

- hearing conservation programs in the construction industry, 466-467
- monitoring noise exposure with sound exposure profiling, 414-418
- study of trends in hearing protector usage, 715-722

hearing loss

- occupational exposure of truck drivers to noise, 205-213
- use of hearing protection and perceptions of hearing loss among construction workers, 466-470

hearing protection devices

- use among construction workers, 466-470

heat load

- effect on ventilation in operating rooms, 394-402

heat stress

- evaluation of clothing systems to determine heat strain, 557-562
- laboratory vs. field studies, 560-561

heavy equipment operators

- noise exposure profile, 774-778

heavy lifting

- case study of physical demands of workers in a grocery warehouse, 873-878

hemispherical diffusion

- mathematical modeling, 681-683

Hendrick, H.W. (book reviewed), 52-53

histamine

- exposure in dairy farms, 404, 407-408

Howard, P.H. (book reviewed), 294

hydrogen sulfide

- validation of exposure estimates at a bleached-kraft pulp mill, 694-705

hydroxy fatty acids

- use in the determination of airborne bacterial load, 524-531

I

ICI method I 1024G, 645

impaction sampling

- of noninfectious microorganisms, 115-116

industrial hygiene

- monitoring methods for glutaraldehyde, 96-103
- sampling survey at a bleached-kraft pulp mill, 694-705
- survey of health and safety conditions, practices, and priorities for OSHA reform in New Jersey, 261-268

infection screening

- risk/cost analysis of screening intervals for tuberculosis, 104-112

insecticides

- air concentrations following indoor applications, 183-185, 192-194
- behavior and risk assessment after indoor applications, 181-190, 191-199

1998 SUBJECT INDEX

- residues following indoor applications, 185-186, 194-195
- inspections
OSHA penalties and inspection frequency for musculoskeletal disorders, 563-571
- Institute of Occupational Medicine (IOM)
IOM sampler, mass stability of sampling cassettes, 582-585
- International Organization for Standardization (ISO)
comparison of AIHA ISO 9001 with Goodyear management and audit system, 419-429
conformity assessment, 804, 806-808
models (*See specific ISO model*)
third-party involvement in conformity assessment, 803
- international standards
developing a foam sampler to match the international respiratory convention, 766-773
development of occupational exposure limits in the United States, United Kingdom, Australia, Norway, and Russia, 729-742
international harmonization of occupational exposure limits, 740-741
- iron
exposure sampling, field performance of half-facepiece respirators in a steel mill, 789-795
- irritation testing
safety of threshold tests, 369 (LTE)*
- ISO. *See* International Organization for Standardization
- ISO 14000 (14001), 572-581, 808
- ISO 9000 (9001), 572-581, 808-809
- J**
- job-specific modules
background and organization, 40-44
industry-based, 42
nonspecific, 42
standardization, 44
task-based, 40-41
- K**
- Kaletsky, Richard (book reviewed), 147-148
- kiln emissions
exposure monitoring in pottery-producing work sites in British Columbia, 706-714
methods for detecting, 707-708
substances emitted, 707, 709-712
- Kohn, James P. (book reviewed), 214
- Kohn, J.P. (book reviewed), 823
- Kroemer, Karl H.E. (book reviewed), 362
- L**
- lag time
as an alternative to normalized breakthrough time in testing protective clothing, 849
- lead
analytical method for determining lead in workplace air samples, 671-679
employee exposure in nonconstruction workplaces, 269-277
industries and activities related to exposure, 271-272
monitoring practices of lead-using employers, 272-274
- lead-210
exposure levels associated with natural gas processing, 622-628
- lead testing
Environmental Lead Proficiency Analytical Testing (ELPAT), background and program status reports, 86-89, 431-433, 593-595
- leak rate
calculation of exposure chamber leak rate with thermal correction, 779-784
- Legal Liability, A Guide for Safety and Loss Prevention Professionals* (Schneid and Schumann), 895
- local exhaust ventilation
for controlling exposure to airborne microorganisms during renovation of moldy buildings, 456, 458-459
effectiveness of shrouded tools in capturing dust from grinding/sanding operations, 689-693
- louvered bypass
effect on airflow and convective patterns of contaminant, 303-312
- Lumbar Motion Monitor (Chattanooga Corporation)
description, 873
- M**
- machining
effectiveness of shrouded tools in capturing dust from grinding/sanding operations, 689-693
emission factor for toluene exposure during washing of metal parts, 15-19
- macro-occlusion characteristics of carpet, 607-608, 610-612
- Making Sense of OSHA* (Vincelli), 895-896
- management
activity-based, 330, 339-343
- manual materials handling
correlation of physical fitness and musculoskeletal injuries, 25-33
- ergonomic assessment methods, 872-873
- injuries incurred during, 26
- methods for assessing physical demands, 871-881
- mass median aerodynamic diameters
of cigarette smoke aerosols, 381-387
particle size distribution in California agricultural operations, 35-38
- mass stability
of sampling cassettes from inhalable aerosol samplers, 582-585
- material handling operations
conveyors, storage, processing, packaging, feeding, and hauling operations as source of dust, 141-142
systematic approach for dust control, 139-146
- mathematical assessment
calculation of exposure chamber leak rate with thermal correction, 779-784
comparative study of four estimators of occupational exposure, 785-788
- mathematical modeling
effect of concentration gradient on deducing contaminant generation rate, 680-688
- maximum likelihood estimates
comparative study of four estimators of occupational exposure, 785-788
- mean square error
comparative study of four estimators of occupational exposure, 785-788
- metals
exposure from kiln emissions, 710, 712
- metalworking fluids
evaporation of metalworking fluid mist in mist collectors, 45-51
vapor measurements, 46-48
- method detection limit
for 2,3-dimethyl-2,3-dinitrobutane, 389-390
- methylene bisphenyl isocyanate
collection efficiency of ORBO 80 coated filter, 490-494
construction of generating system, 491-492
- methylene chloride
OSHA and NIOSH test methods, 353-354
reference method to determine actual concentration, 355-356
validation of passive monitors of employee exposure in pharmaceutical facilities, 353-358
- Michigan Occupational Health and Safety Management System
development, 573-576
evaluation of assessments, 576
input model partitioning, 574-577
measurement criteria, 576-577
- model structure, 574-576
principles, 574-578
- micro-occlusion characteristics of carpet, 607-608, 610-612
- microorganisms
assessment in work environments, 122-123
bioaerosol sampling, 831-841
culture, 116
culture-based quantitative methods, comparative studies, 117, 120-123
determination of chemical markers, 119
determining constituents of bacteria and fungi, 118-119
measurement methods, 114
nonculture-based quantitative methods, comparative studies, 120-122
noninfectious, quantitative assessment of airborne levels in contaminated work environments, 113-127
quantitative methods, 116-118
retrieval from samplers, 833
sampling devices, 114-116
validity of sampling, 119-122
viable fungi and bacteria exposure in organic dust on dairy farms, 404, 410-411
- military
evaluation of clothing systems to determine heat strain, 557-562
managing occupational exposure data with the Health Hazard Information Module, 723-728
- military workers
respirator performance ratings for speech intelligibility, 257-260
- Mine Ventilation and Air Conditioning* (Hartman et al.), 663
- minimum variance unbiased estimator
comparative study of four estimators of occupational exposure, 785-788
- mist collectors
comparison of experimental and field systems, 46
evaporation of metalworking fluid mist, 45-51
- Mital, A. (book reviewed), 495-496
- Modified Rhyme Test (MRT), 258
- monitoring strategies
improvement of indoor air quality with continual multipoint monitoring, 636-641
- muramic acid
use in the determination of airborne bacterial load, 524-531
- musculoskeletal disorders
discomfort survey of carpenters involved with concrete form work, 631-632
ergonomic characterization of work in concrete form construction, 629-635
low back disorders, methods for assessing physical demands of heavy lifting, 871-881
OSHA penalties and inspection frequency for musculoskeletal disorders, 563-571
reliability of questionnaire measuring symptoms and histories of carpenters, 20-24
- musculoskeletal injuries
causes, 26
correlation with physical fitness estimations, 25-33
- Musculoskeletal Symptom and Work History questionnaire
description of questionnaire, 21
reliability of information, 20-24
- Mutmansky (book reviewed), 663
- Mycobacterium abscessus*
improved methods for generation, sampling, and recovery, 234-241
recovery of organisms from filters, 238
- Mycobacterium bovis*
as a research substitute for *M. tuberculosis*, 541
- Mycobacterium tuberculosis*
assessment of airborne mycobacterial species, 540-546
filtration efficiency of N95 respirators, 128-132

1998 SUBJECT INDEX

- risk/cost analysis of screening intervals, 104-112
- N**
- N95 respirator
filtration efficiency for airborne particles, 128-132
- National Institute for Occupational Safety and Health (NIOSH)
criteria for method validation for 2,3-dimethyl-2,3-dinitrobutane vapor, 390-391
method (*See specific NIOSH Method*)
National Occupational Exposure Survey, 717
National Occupational Hazard Survey, 716-717
NIOSH lifting equation, 872-873
PAT programs, 806
regulations for nonpowered particulate respirators, 128
- National Lead Laboratory Accreditation Program
Environmental Lead Proficiency Analytical Testing Program, 88-89, 431-433
- National Occupational Health and Safety Commission (Australia), 734-735
- National Research Council
conformity-assessment model, 804
- Nationally Recognized Testing Laboratory
conformity assessment, 806
- natural gas processing
occupational exposure to radioactive contaminants, 622-628
processing and transport procedures, 622-623
radon activity in gas streams in British Columbia, 623-625
- Netherlands
characteristics of exposure to captan in fruit-growing operations, 158-165
determinants of exposure to captan in fruit-growing operations, 166-172
- New Jersey
health and safety conditions, practices, and priorities for OSHA reform, 261-268
- Nicholson, A.S. (book reviewed), 495-496
- NIOSH. *See* National Institute for Occupational Safety and Health
- NIOSH lifting equation
description, 872-873
- NIOSH 42 CFR 84, 532
- NIOSH method 1005, 355
- NIOSH method 7906, 707
- nitrogen dioxide
exposure from kiln emissions, 711
- no-observed-adverse-effect level
limitations in establishing occupational exposure standards, 730-731
- noise control
OSHA regulations, 715
sound exposure profiling as a noise-monitoring device, 414-418
trends in hearing protector usage in American manufacturing, 715-722
- noise exposure
average daily exposure levels among construction workers, 775-777
noise standard 29 CFR 1926.52, 466
of heavy truck operators, 205-213
profile of heavy equipment operators, associated laborers, and crane operators, 774-778
use of hearing protection and perceptions of exposure and hearing loss among construction workers, 466-470
- Nordic Institute for Advanced Training in Occupational Health, 736
- Norway
national policy for establishing occupational exposure limits, 734-735
- Norwegian Occupational Hygiene Society, 736
- 5' nucleotidase (5'NT)
effects of exposure to electromagnetic fields, 222-223
- numerical predictions
for containment testing of fume hoods, 303-312
- numerical simulation
of transport of surgically produced aerosols, 393-402
- O**
- obituaries
Conrad, Ronald Gray, 85
- occupational and environmental hygiene
changing emphasis in industry, 740
exposure assessment of noninfectious microorganisms, 113-127
managing occupational exposure data with the Health Hazard Information Module, 723-728
status of profession in various countries, 733-737
- occupational exposure
estimating the mean value, 785
- occupational exposure data
computer application for managing, 723-728
- occupational exposure limits
definition of terms and framework for establishing limits, 730-731
differences between EPA and OSHA limits, 445 (LTE)*
for 2,3-dimethyl-2,3-dinitrobutane, 389
future role, 739-740
in Australia, 734-735
in Russia, 736-737
in the United Kingdom, 733-734
in the United States, 732-733
international processes for establishing, 729-742
role of science, 738
technical feasibility, socioeconomic, and sociopolitical factors, 732-737
underlying rationale, 737-738
- occupational health and safety
analysis of third-party involvement in conformity assessment, 802-812
comparison of AIHA ISO 9001 with Goodyear management and audit system, 419-429
impact of worker participation, management, unions, government agencies, and health and safety workers, 262
reasons for lack of emphasis on improving workplace safety, 662 (LTE)*
risk reduction and pollution prevention practices in the automotive refinishing industry, 484-488
survey of health and safety conditions, practices, and priorities for OSHA reform in New Jersey, 261-268
- occupational health and safety conformity-assessment model
analysis of third-party certification approaches, 802-812
hierarchy levels, 804-805
- occupational health and safety management system
evaluation and development of universal assessment instrument, 572-581
measurement and effectiveness determinations, 573
- occupational health organizations
activity-based cost management, 328-334
role of environmental, safety, and health managers in cost management, 329
- occupational health policy
international processes for establishing occupational exposure limits, 729-742
- occupational health services
status of health and safety programs in minority academic/research institutions, 882-888
- Occupational Noise Exposure Standard
Hearing Conservation Amendment, 715-716
- Occupational Safety and Health Administration (OSHA)
conformity assessment, 802-812
cooperative assistance and recognition programs, 804
cooperative enforcement programs, 804
description, 883
lowering permissible exposure limits, 369 (LTE)*
methods (*See specific OSHA Method*)
National Survey of Personal Protective Equipment Usage in U.S. Industry, 717
noise control regulations, 715
noise exposure standards, 466-467
penalties and inspection frequency for musculoskeletal disorders, 563-571
penalty costs, 565-566, 570
probability of inspection for musculoskeletal disorders, 567
process for setting permissible exposure limits, 732
survey of health and safety conditions, practices, and priorities for reform in New Jersey, 261-268
traditional enforcement programs, 804
Voluntary Protection Program, 572-573
- Occupational Safety and Health Act
conformity assessment, 803
survey of priorities for OSHA reform in New Jersey, 261-268
- odor testing
safety of threshold tests, 369 (LTE)*
- Ohio State University risk assessment model
of physical stress risk, 873
- operating engineers (heavy equipment)
use of hearing protection and perceptions of noise exposure and hearing loss, 466-470
- operating room
effects of characteristic features on transport of surgically produced aerosols, 393-402
- ORBO-80 coated filter
collection efficiency for toluene-2,4-diisocyanate and methylene bisphenyl isocyanate, 490-494
- organic dust toxic syndrome, 252
- organic solvents
ASTM method F739 for testing permeation resistance of protective clothing, 547-556
- organizational members, 150-152
- OSHA. *See* Occupational Safety and Health Administration
- OSHA Inspections: Preparation and Response (Kaletsky), 147-148
- OSHA method 05, 355
- OSHA method 58, 890
- OSHA method 64, 97
- oxidation
of resin acids in rosin core solder, 892-893
- Oxylog portable oxygen consumption meter
description, 873
- P**
- paint spraying operations
risk reduction and pollution management practices in the automobile refinishing industry, 485-487
- particle charge
effects on performance of a filtering facepiece, 227-233
- particle size distribution
in California agricultural operations, 34-38
- particle size-selective characteristics, 766
- particle trajectories
in operating rooms, 398-402
- partitioned environment
airborne contaminant exposure control, 346-352
- passive monitors
evaluation chamber, 354
field validation of employee exposure to methylene chloride, 353-358
- passive badge sampling device, description, 98
- passive diffusion cards, for validation of exposure at a bleached-kraft pulp mill, 694-705

1998 SUBJECT INDEX

PAT. See Proficiency Analytical Testing (PAT) Program

Penicillium expansum
bioaerosol sampling, 833-837

performance measures
for half-facepiece respirators, 789-795, 796-801

performance ratings
speech intelligibility ratings for respirators, 257-260

permeation cell
for testing chemical protective clothing, 842-851 (See also Griffith cell)

permeation testing
of chemical protective clothing, 548-549
updated breakthrough times for PVC gloves and protective clothing, 670 (LTE)*

permissible exposure limits
field validation of passive monitoring for employee exposure to methylene chloride, 353-358
lowering, 369 (LTE)*
use in evaluating assigned protection factor for half-facepiece respirators, 797-798

personal sampling device
adaptation for bioaerosol sampling, 831-841
evaluation of portable vapor/particle sampler for volatile organic compounds, 614-621

Péresse, M. (book reviewed), 52-53

pesticides
exposure to captan in fruit growing operations, 158-165

petroleum coke
carcinogenicity, comparison with coal coated with No. 6 fuel oil, 91-95

pharmaceutical workers
monitoring exposure to methylene chloride, 353-358

d-phenothrin
air concentrations following indoor residual spraying, 192-194
behavior and risk assessment following indoor residual spraying, 191-199
residue concentrations following indoor residual spraying, 194-195

physical fitness
correlation with injury occurrences in manual materials handling, 25-33

physiologically based pharmacokinetic model
to investigate effects of variation in exposure to acetone and work load differences, 242-251

pigging
occupational exposure to radioactive contaminants in natural gas processing workers, 622-628

plastic barrier isolation/negative pressurization
for controlling exposure to airborne microorganisms during renovation of moldy buildings, 456, 458-459

plastics workers
acetone exposure, 245-251

plumbers/pipe fitters
use of hearing protection and perceptions of noise exposure and hearing loss, 466-470

Pohanish, Richard P. (book reviewed), 586

Polar portable heart rate monitor
description, 873

pollution prevention
survey of practices in Rhode Island automotive refinishing industry, 483-488

Pollution Prevention for Chemical Processes (Allen and Rosselot), 435

polycarbonate filters
use in bioaerosol sampling, 832-834

polycyclic aromatic hydrocarbons
relationship with benzo[a]pyrene in aluminum smelter, 758-765

polymerase chain reaction
assessment of airborne *Mycobacterium tuberculosis*, 540-546

polynuclear aromatic hydrocarbons
carcinogenic potential of coal coated with No. 6 fuel oil, 90-95
percutaneous absorption from coal and coke, 93

porous foam filter media
adaptation of personal inhalable aerosol sampler for bioaerosol sampling, 831-841
bioaerosol sampling, 834-841
development of respirable aerosol samplers using porous foams, 766-773
selection of plug sizes, 838-839
size-selection characteristics, 838-839

portable vapor/particle sampler
for sampling and quantifying the phase distribution of volatile organic chemicals, 614-621
particle and vapor collection efficiencies, 616-618

pottery
exposure to kiln emissions, 706-714

power tools
effectiveness of shrouded tools in capturing dust from composite materials, 689-693

Proficiency Analytical Testing (PAT) Program
background, 57, 292-293, 822
report for PAT Round 131 and PAT Round 132, 292
report for PAT Round 130, PAT passive monitor Round 130, and PAT Round 131, 56-57
report for PAT Round 132, PAT passive monitor Round 132, and PAT Round 133, 821-822

protective clothing
ASTM method F739 for testing permeation resistance of materials, 547-556
chemical, validation of permeation cell for testing, 842-851
evaluation of clothing systems to determine heat strain, 557-562
updated breakthrough times for PVC gloves and protective clothing, 670 (LTE)*

pulmonary sensitivity
exposure to oxidized resin acids in aerosol derived from rosin core solder, 889, 892

pulp and paper industry
personal sampling survey at a bleached kraft pulp mill, 694-705

Q

QS 9000
conformity assessment, 808-809

quantitative fit test
Ambient Aerosol 1, 863, 868-869
Ambient Aerosol 2, 864
comparison of six methods with an actual measurement of exposure, 862-870
continuous high flow, deep probe, 863
continuous low flow, flush probe, 863-864
controlled negative pressure, 864
exhalation valve discharge, 863
pass or fail level, 868
protocol development for comparing methods for measuring exposure, 852-861

questionnaires
designed to enhance recall, 43
for collecting occupational information for case control studies, 39-44
organization of job-specific modules, 40-42
reliability of information gathered by job-specific modules, 43
reliability of questionnaire measuring symptoms and histories of carpenters, 21-24
survey of employee exposure to lead in nonconstruction workplaces, 269-277
survey of health and safety conditions, practices, and priorities for OSHA reform in New Jersey, 261-268
survey of minority and nonminority research institutions on health and safety programs, 883-888

R

racial minorities
status of health and safety programs in minority academic/research institutions, 882-888

radioactive contamination
radon-222 and gamma ray levels associated with natural gas processing, 622-628
uranium, thorium, and potassium in coal slag used for abrasive blasting, 474-476

radioactive material, naturally occurring
analysis of coal slag, 471-477
sources in coal slag, 472

radium
risk of exposure from coal slag, 474-476

radon
risk of exposure from coal slag, 474-476

radon-222
exposure levels associated with natural gas processing, 622-628
Ramani (book reviewed), 663
Rand, G.M. (book reviewed), 147
Rapid Guide to Hazardous Chemicals in the Environment (Pohanish), 586

registration
definition, 803

relative humidity
as a determinant of dust exposure, 11-12

d-resmethrin
air concentrations following indoor space spraying, 183-185
behavior and risk assessment of indoor space spraying, 181-190
residues following indoor space spraying, 185-186
risk and safety assessment, 187-189

respirable dust cyclone
measuring personal dust exposure, 10-12, 35-37

respirable convention
steps in developing an ideal sampler, 772

respirator
adequacy of assigned protection factor of 10, 800-801
aerosol loading performance of electret filter media, 532-539
filter composition, 461-465
measuring the spatial variability of aerosol penetration through respirator filters, 461-465
negative pressure
comparison of six respirator fit-test methods, 852-861, 862-870
effects of work rate and particle size on aerosol penetration, 173-180
field performance of dust/mist half-facepiece respirators in a steel mill operation, 789-795
field study data of assigned protection factors, 796-797
N95, comparison with dust/mist and dust/fume/mist respirators, 130-131
particulate, performance of N95 respirator, 128-132
performance ratings for speech intelligibility, 257-260
studies of respirator valve integrity, 174

respirator valves
effects of work rate and particle size on behavior, 177-180
tests of aerosol leakage and penetration, 174-180

respiratory disease
effects of breathing parameters on cigarette smoke deposition in a hollow tracheobronchial model, 381-387
organic dust exposures in dairy farming, 403-413

respiratory protection program
application of activity-based cost management, 335-345

1998 SUBJECT INDEX

Respiratory Protection Handbook (Revoir and Bien), 362-363

Revoir, William H. (book reviewed), 362-363

Reynolds-averaged Navier-Stokes equation, 398

Richardson, Mervyn (book reviewed), 586

risk assessment

estimating risk, 105-107

cumulative risk of disease, 106-107

of insecticide exposure following indoor

applications, 187-189, 195-198

Robertson, S.A. (book reviewed), 743

rosin

oxidized rosin acids in aerosol derived from rosin core solder, 889-894

Rosselot, Kirsten Sinclair (book reviewed), 435

Russia

occupational hygiene profession in Russia, 737
setting occupational exposure limits in Russia, 734-735

S

Saccharomyces cerevisiae

bioaerosol sampling, 833-837

safety assessment

comparison of ISO 9001 with Goodyear management and audit system, 419-429

safety engineers

survey of health and safety conditions, practices, and priorities for OSHA reform in New Jersey, 261-268

sampling

adaptation of personal inhalable aerosol samplers for bioaerosol sampling, 831-841

development of respirable aerosol samplers using porous foams, 766-773

in-facepiece sampling for performance measurements of half-facepiece respirators, 789-795

mass stability of sampling cassettes from inhalable aerosol samplers, 582-585

portable vapor/particle sampler for volatile organic compounds, 614-621

selecting a substrate for size-selective bioaerosol sampling, 832

use of porous foam as filter media in bioaerosol sampling, 837-840

sampling devices

for validation of exposure at a bleached-kraft pulp mill, 694-705

Schneid, Thomas D. (book reviewed), 895

Schumann, Michael S. (book reviewed), 895

Scott, Ronald (book reviewed), 495

short-term exposure limit (See also threshold limit values)

field validation of passive monitoring for employee exposure to methylene chloride, 353-358

for acetone, 369 (LTE)*

side-draft hood

for controlling exposure to airborne microorganisms during renovation of moldy buildings, 456, 458-459

silica gel tube sampling device

description, 97

Silverstein, B. (book reviewed), 52-53

simulation

of insecticide levels following indoor applications, 186-187, 195

skin absorption

of Freon-113, 855, 858

Smith, M.J. (book reviewed), 52-53

Snook and Ciriello psychophysical database

for assessing manual lifting demands, 873

soldering

oxidized rosin acids in aerosol derived from rosin core solder, 889-894

sound exposure profiling

data processing, 416-417

job profiling, 416

monitoring noise exposure, 414-418

sample selection, 415-416

special applications and limitations, 417

spatial variability

of aerosol penetration through respirator filters, 461-465

specific gravity adjustment

derivation of modified correction formula, 376-377

improvements in assessing urine concentrations of toxic substances, 375-380

speech

respirator performance ratings for speech intelligibility, 257-260

Speech Perception in Noise (SPIN) test, 258

stability studies

stability of diphenylmethane diisocyanate on glass fiber filter paper, 645-647

Stachybotrys

exposure to airborne microorganisms during remediation of moldy buildings, 455-460

standards

comparison of international processes for developing occupational exposure limits, 729-742

components of an ideal health-based standard, 730

technical feasibility, socioeconomic, and sociopolitical factors in establishing occupational exposure limits, 732-737

steady-state permeation rate

new cell for testing chemically protective clothing, 845-850

testing permeation resistance of protective clothing, 547-556

steel mill workers

field performance of half-facepiece respirators in a steel mill operation, 789-795

sulfur dioxide

exposure from kiln emissions, 709, 711-712

T

Tenax® sampling tubes

as collection medium for

2,3-dimethyl-2,3-dinitrobutane, 389-390

test-retest methodology

reliability of questionnaire measuring symptoms and histories of carpenters, 21-24

d-tetramethrin

air concentrations following indoor residual spraying, 192-194

air concentrations following indoor space spraying, 183-185

behavior and risk assessment following indoor residual spraying, 191-199

behavior and risk assessment following indoor space spraying, 181-190

residue concentrations following indoor residual spraying, 194-195

residue concentrations following indoor space spraying, 185-186

risk and safety assessment of exposure, 187-189

thermal effects

in exposure chambers, 779

thorium-232

inhalation risk and decay scheme, 473

threshold limit values (TLVs) (ACGIH). See also

permissible exposure limits (PEL)

ACGIH steps in establishing TLVs, 732

difficulties in implementation of PSS-TLV program, 221-222 (LTE)*

glutaraldehyde, 96

nitrogen monoxide, 711

particle size-selective, history, 221 (LTE)*

size-selective, 8 (LTE)*

time-weighted averages, short-term exposure limits, and ceiling levels, 731

threshold tests

safety of odor and irritation tests, 369 (LTE)*

tidal volume

effect on cigarette smoke deposition, 384-386

tobacco

effects of tidal volume and breath frequency on

sidestream cigarette smoke deposition, 381-387

mechanisms of cigarette smoke deposition, 382

toluene

concentration measurements and modeling, 16-18

emission factor for toluene parts-washing process, 14-19

emission rate and modeling, 16-18

predicting emission rates and concentrations, 18-19

toluene-2,4-diisocyanate

collection efficiency of ORBO-80 coated filter, 490-494

Total Quality Safety Management and Auditing (Weinstein), 435

toxic substances

improving specific gravity adjustment method for urine testing, 375-380

tracer gas containment testing

fume hood performance, 134, 137

tracer gas test

factors affecting performance of laboratory fume hoods, 321-327

partitioned model analysis, 347-351

use of a human subject, 322, 326

tractor

enclosed cabin, reduction of dust exposure, 11-12, 36-38

speed, as a determinant of dust exposure, 11-13

tribocharged polypropylene/acrylic

aerosol loading performance, 532-539

truck drivers

occupational exposure to noise, 205-213

truck noise

control techniques, 206

factors contributing to, 206, 208-210

measurements and analysis of exposure, 206-213

relation to hearing, 206

tuberculosis

assessment of airborne mycobacterial species of the *Mycobacterium tuberculosis* complex, 540-546

incidence in health care workers, 104-105

risk/cost analysis of screening intervals, 104-112

screening test, method and efficacy, 105

Tyrophagus putrescentiae

exposure in dairy farms, 404-405, 410

U

U.S. Army Health Hazard Assessment (clothing assessment)

evaluation of clothing systems to determine heat strain, 557-562

guarded hot plate testing, 557-558

monitoring physiological variables, 560

physiological evaluation, 558

thermal manikin testing, 558

UCC method 38C-4Q5-TSG, 97

ultrasonic extraction

analytical method for determining lead in workplace air samples, 671-679

Union Carbide Corp. (UCC)

methods (See specific UCC Method)

United Kingdom

national policy for establishing occupational exposure limits, 732-733

United States

national policy for establishing occupational exposure limits, 732-733

trends in hearing protector usage, 715-722

University of Michigan Expenditure Prediction

Program

description, 873

uranium-238

1998 SUBJECT INDEX

inhalation risk and decay scheme, 472
urinary indicators
improving specific gravity adjustment method
for urine testing, 375-380

V

vacuum sampling
factors affecting retention of dust mite allergen
on carpet, 606-613
validation testing
of a permeation cell for testing chemical
protective clothing, 842-851
use of lag time rather than breakthrough time
for permeation testing, 849
ventilation
effect of concentration gradient on deducing
contaminant generation rate, 680-688
ventilation systems
airborne contaminant exposure control in a
partitioned environment, 346-352
improvement of indoor air quality with
continual multipoint monitoring, 636-641
monitoring the quantity of outdoor air
provided, 638-641
particle transport characteristics of cross-flow
and impinging-flow systems, 393-402
sustainable performance, 641
ventilation rates and performance criteria, 637

viable microorganisms
in organic dust on dairy farms, 410-411
Vincolli, Jeffrey W. (book reviewed), 895-896
VOCs (See volatile organic compounds; volatile
organic chemicals)
volatile organic chemicals (VOCs)
determining airborne concentrations, 615-616
environmental chamber for testing effects of
temperature and chemical interactions,
200-204
phase distribution, 614
portable vapor/particle sampler, 614-621
volatile organic compounds (VOCs)
exposure in the automotive refinishing industry,
478-479

W

Wang (book reviewed), 663
warehouse workers
methods for assessing physical demands of
heavy lifting, 871-881
Warning Design: A Research Perspective (Edworthy
and Adams), 52
Washington
employee exposure to lead in nonconstruction
workplaces, 269-277
Weinstein, Michael B. (book reviewed), 435

welding
health risk studies, 8 (LTE)*
Wells, R. (book reviewed), 52-53
wheat antigen
determinants of exposure in bakeries, 313-320
Winterberger, C.A. (book reviewed), 823
wood mills
stability studies of diphenylmethane diisocyanate
on glass fiber filter paper, 645-647
work load
effect on biological markers of exposure to
acetone, 242-251
*Work Related Musculoskeletal Disorders (WRSDs): A
Reference Book for Prevention* (Hagberg et al.),
52-53
worker safety
primacy in cost-accounting strategies, 339-340
Working Group on the Assessment of Toxic
Chemicals (WATCH) (United Kingdom)
impact on policy in the United Kingdom,
733-734
workplace protection factors (WPFs)
correlation with fit factors, 867-868
description, 853
in establishing and evaluating assigned
protection factors, 797-801
measurement of performance of half-facepiece
respirators in steel mill operation, 789-795

PRODUCT INDEXES

Advertisers' Index

Circle #		Page #
1	Draeger Safety, Inc.	C-4
2	TSI Inc.	C-2
3	North Safety Products	828

New Products Index

Circle #		Page #
117	United Air Specialists, Inc.	897
118	UE Systems	897
119	Extech	897
80	Industrial Hygiene Services	897
81	Nuclear Associates	897

The Advertisers' and New Products Indexes are compiled as a service to the readers of the *American Industrial Hygiene Association Journal* (AIHAJ). Being listed in these indexes does not imply endorsement by AIHAJ or the American Industrial Hygiene Association of the advertiser, its products, or its services. Inquiries to the advertisers with respect to the content of any advertisement should be made directly to the advertiser, with a copy to the Editor, AIHAJ. For information on the products and services advertised in this issue, please use the Reader Service Card provided.

